

Title: Foliation structure in fracton models

Speakers: Xie Chen

Date: March 01, 2021 - 12:30 PM

URL: <http://pirsa.org/21030000>

Abstract: Fracton models are characterized by an exponentially increasing ground state degeneracy and point excitations with constrained motion. In this talk, I will focus on a prototypical 3D fracton model -- the X-cube model -- and discuss how its ground state degeneracy can be understood from a foliation structure in the model. In particular, we show that there are hidden 2D topological layers in the 3D bulk. To calculate the ground state degeneracy, we can remove the layers until a minimal structure is reached. The ground state degeneracy comes from the combination of the degeneracy of the foliation layers and that associated with the minimal structure. We discuss explicitly how this works for X-cube model with periodic boundary condition, open boundary condition, and even in the presence of screw dislocation defects.




Zhenghan Wang



Wilbur Shirley



Kevin Slagle



Nandagopla Manoj




Foliation structure in fracton models

XIE CHEN, CALTECH

QUANTUM FRONTIER MATTER SEMINARS

MAR. 2021




Simons Collaboration on
Ultra-Quantum Matter






X-cube model

Cubic lattice




Vijay, Haah, Fu, 16




X-cube model

Cubic lattice




$$X = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad Z = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$$

Vijay, Haah, Fu, 16



X-cube model

Cubic lattice



$$X = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad Z = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$$

$$H = - \sum_c A_c - \sum_v (B_v^x + B_v^y + B_v^z)$$

Vijay, Haah, Fu, 16



X-cube model

- All Hamiltonian terms commute
- Ground states satisfy




$$A_c = B_v^x = B_v^y = B_v^z = 1$$

- Gapped
- Periodic boundary condition; Three torus
- Ground State Degeneracy


$$\log_2 D = 2L_x + 2L_y + 2L_z - 3$$




X-cube model: excitation



Lineon excitations:




X-cube model: excitation





X-cube model: excitation


Planon excitations:






X-cube model

- Exponential ground state degeneracy
- Point excitations with limited motion
- What kind of order?




X-cube model


“Topological”



Ground state degeneracy robust against local perturbation




Topological Order – Toric Code




$$H = - \sum_v \text{[cross of Z operators]} - \sum_p \text{[square of X operators]}$$

- All terms commute
- Periodic boundary condition, two torus
- Ground State Degeneracy $\log_2 D = 2$




Topological Order – Toric Code




$$H = - \sum_v \text{blue cross } Z - \sum_p \text{red square } X$$

- All terms commute
- Periodic boundary condition, two torus
- Ground State Degeneracy $\log_2 D = 2$




Topological Order – Toric Code






Topological Order – Toric Code




- Fractional excitations: e and m
- Braiding statistics




Toric Code


- Hamiltonian can be defined on any 2D lattice
- Ground state degeneracy depends only on the topology of the manifold




$$\log_2 D = 2(\text{genus of surface})$$

- Topological quantum field theory






X-cube model






- Different Lattices?
- Different Three Manifolds?


3D lattice






?




3D lattice




?



Foliation



- Dividing a three dimensional manifold into parallel planes (leaves).
 - Example: xy planes (or yz planes, zx planes) in three torus
 - Total foliation:
 - Three sets of transversely intersecting parallel surfaces
 - Example: xy , yz , zx planes in three torus
 - And we can do this to other three manifolds as well
-
- Fracton Models on General Three-Dimensional Manifolds, *Phys. Rev. X* 8, 031051 (2018)



Total Foliation


$$S^3 \quad x^2 + y^2 + z^2 + w^2 = 1$$


Three sets of leaves

$$x = x_0, \quad y = y_0, \quad z = z_0$$

Each leaf is a 2-sphere

A $x = x_0$ leaf





Total Foliation

$$S^2 \times S^1$$


$$x^2 + y^2 + z^2 = 1; 0 \leq w \leq 1, (0 \sim 1)$$

Three sets of leaves

$$x = x_0, y = y_0 \quad \text{2-Torus leaves}$$

$$w = w_0 \quad \text{2-Sphere leaves}$$




A $w = w_0$ leaf





Total Foliation

- A notion of x, y, z direction
- Each vertex is degree six
- Each body may not be cubes




- Compact singular foliation





X-cube on three manifolds

Three torus: cubic lattice




Other three manifolds






Toric Code


- Hamiltonian can be defined on any 2D lattice
- Ground state degeneracy depends only on the topology of the manifold



$$\log_2 D = 2(\text{genus of surface})$$

- Topological quantum field theory







Manifold and degeneracy


Manifold	Foliating Leaves	Log_2 Ground State Degeneracy
T^3	T^2, T^2, T^2	$2L_x + 2L_y + xL_z - 3$
S^3	S^2, S^2, S^2	0
$S^2 \times S^1$	T^2, T^2, S^2	$2L_x + 2L_y - 1$

Renormalization Group Trans.







Renormalization Group Trans.




Controlled-
Not Gate


$$\begin{pmatrix} 1 & & \\ & 1 & \\ & & 1 \end{pmatrix}$$


Renormalization Group Trans.





Renormalization Group Trans.





X-cube on three manifolds


Manifold	Foliating Leaves	Log_2 Ground State Degeneracy
T^3	T^2, T^2, T^2	$2L_x + 2L_y + 2L_z - 3$
S^3	S^2, S^2, S^2	$0L_x + 0L_y + 0L_z - 0$
$S^2 \times S^1$	T^2, T^2, S^2	$2L_x + 2L_y + 0L_z - 1$






Manifold and degeneracy

Remove layers until only one is left in each set,
minimal structure





X-cube on three manifolds

Manifold	Foliating Leaves	Log_2 Ground State Degeneracy
T^3	T^2, T^2, T^2	$2L_x + 2L_y + 2L_z - 3$
S^3	S^2, S^2, S^2	$0L_x + 0L_y + 0L_z - 0$
$S^2 \times S^1$	T^2, T^2, S^2	$2L_x + 2L_y + 0L_z - 1$







X-cube on three manifolds

Constant part of degeneracy depends on the topology of the intersection of foliating leaves

Manifold	Foliating Leaves	Log_2 Ground State Degeneracy
T^3	T^2, T^2, T^2	$2L_x + 2L_y + 2L_z - 3$
S^3	S^2, S^2, S^2	$0L_x + 0L_y + 0L_z - 0$
$S^2 \times S^1$	T^2, T^2, S^2	$2L_x + 2L_y + 0L_z - 1$




Screw defect





- Screw dislocations in the X-cube fracton model, arXiv:2012.07263

Screw defect in 3d weak topological insulator





Y. Ran, Y. Zhang and A. Vishwanath, 2009



Screw defect in a stack of 2D non-chiral topological order



Screw defect in a stack of 2D non-chiral topological order




Screw defect in a stack of 2D non-chiral topological order







Screw defect




- Extra ground state degeneracy?
- Foliation
- Minimal structure




Open boundary condition





Open boundary condition: foliation





•


4




—

1







Open boundary condition: minimal structure




Screw defect: foliation

$\text{Log}_2 \text{ Ground State Degeneracy}$



$$\sim L_x + L_y$$




open





Screw defect: spiral leaf



Log_2 Ground State Degeneracy
=1




Screw defect: spiral leaf




Log_2 Ground State Degeneracy
=1

Total Log_2 Ground State Degeneracy $= L_x + L_y - 1 + 1?$


Screw defect: minimal structure



2 xz leaves,
2 yz leaves,
1 xy spiral leaf



Screw defect: minimal structure




Winding of lineon
around defect

Even L_z , $\text{Log}_2 \text{GSD} +1$

Odd L_z , $\text{Log}_2 \text{GSD} +0$




Screw defect: minimal structure




$\log_2 \text{GSD} + 1$

For all L_z



Screw defect: minimal structure



Tunneling of
lineon
around the
defect


$\log_2 \text{GSD} + 1$

For all L_z





Screw defect



- Winding of lineon around defect
- Even L_z , $\text{Log}_2 \text{GSD} +1$
- Odd L_z , $\text{Log}_2 \text{GSD} +0$

- Tunneling of lineon around defect
- $\text{Log}_2 \text{GSD} +1$
- For all L_z

Total Log_2 Ground State Degeneracy

$$= L_x + L_y - 1 + 1(+1)$$



Summary

- X-cube model
- Different manifold, boundary condition, screw defect
- GSD from foliation + coupled layer minimal structure

Open question

- other fracton models
- non-exactly solvable models
- with disorder
- field theory description

