Title: Conference Talk

Speakers: Tarun Grover

Collection: Physics of Quantum Information

Date: May 27, 2024 - 11:00 AM

URL: https://pirsa.org/24050028

Separability as a window into many-body mixed states

Tarun Grover
(UCSD)

Yu-Hsueh Chen
(UCSD)

2309.11879 (PRL 132, 170602, 2024),
2310.07286, 2403.06553

Quantum Phases of Matter beyond pure states?



Quantum Phases of Matter beyond pure states?





[Dennis, Kitaev, Landahl, Preskill 2001]

Phase diagram of 2D toric code in the presence of decoherence



Quantum Phases of Matter beyond pure states?



Several interesting developments:

Equivalence between mixed-state phases [Coser, Perez-Garcia '19; Rakovszky, Gopalakrishnan, Keyserlingk '23; Koenig, Pastawski '13; Hastings '11].
Renormalization group approach and quantum error correction [Sang, Zou, Hsieh '23; Sang, Hsieh '24; Lavasani, Vijay '24].
Weak vs strong symmetries, corresponding SSB, and mixed-state SPTs [de Groot, Turzillo, Schuch '22; Ma, Wang '22; Li, Jian, Xu '23; Ma et al '23, Lessa et al '24; Sala et al '24,…].
Various entanglement measures [Lu, Hsieh, TG '20; Fan, Bao, Altman, Vishwanath '23,…].
Replica-based approach [Bao, Fan, Altman, Vishwanath '23; Li, Jian, Xu '23; Zou, Sang, Hsieh '23, Li, Mong '24,…].
Intrinsically mixed topological states, and higher-form symmetries [Wang, Wu, Wang '23; Sohal, Prem '24; Ellison, Cheng '24; Li, Lee, Yoshida '24,…].
LSM constraints/anomalies [Kawabata, Sohal, Ryu '23; Zhou, Li, Li, Gu '23; Hsin, Luo, Sun '23; Lessa, Cheng, Wang '24; Wang, Li '24,…].

Quantum Phases of Matter beyond pure states?



In this talk we will employ a rather coarse characterization based on mixed-state entanglement, and discuss a few examples.

Zeroth Order question:

When is a mixed state unentangled (“separable”)?

Separable (= Unentangled) Mixed States

[Werner 1989] Iff a density matrix ρ admits a decomposition

$$\rho = \sum_i p_i \, |\psi_i\rangle\langle\psi_i| \,, \text{ with } p_i > 0$$

where each $|\psi_i\rangle$ is unentangled between parties A and B i.e.

$|\psi_i\rangle = |\phi_{i,A}\rangle \otimes |\phi_{i,B}\rangle$, then ρ is bipartite separable (i.e. unentangled).

Example: $\rho = p\,|\psi_{\text{Bell}}\rangle\langle\psi_{\text{Bell}}| + (1-p)\frac{\mathbb{1}}{4}$

where $|\psi_{\text{Bell}}\rangle = \frac{1}{\sqrt{2}}\left(|\uparrow\rangle|\downarrow\rangle - |\downarrow\rangle|\uparrow\rangle\right)$

Many-body analogs?

Short-ranged entangled (SRE) mixed states
= generalization of separability to many-body setup

If a density matrix admits a decomposition $\rho = \sum_i p_i |\psi_i\rangle\langle\psi_i|$ where each $|\psi_i\rangle$ is short-ranged entangled (i.e. can be prepared via a finite-depth, local, unitary circuit), then we will call ρ a "short-ranged entangled (SRE) mixed-state".

[Hastings 1106.6026]



Quantum entanglement vs classical long-range correlations

Coser, Perez-Garcia (1810.05092): Two mixed states in the same phase if they can be connected via finite time, local Lindbladian evolution.

Example: (a) $|00...0\rangle\langle 00...0|$ (b) $\frac{1}{2}\left(|00...0\rangle\langle 00...0| + |11...1\rangle\langle 11...1|\right)$

belong to different phases of matter due to long-range *classical* correlations in (b).

However, both states are unentangled, and hence "trivial" from separability perspective.

One may also define an SRE mixed state as one that has an SRE purification (e.g. Ma, Wang 2209.02723). In this definition, classical correlations will again be regarded as non-trivial (e.g. state (b) has no SRE purification).

Decoding transition as a separability transition

[Dennis, Kitaev, Landahl, Preskill 2001]











Decoding transition as a separability transition

Recent works, in particular, Fan, Bao, Altman, Vishwanath [2301.05689; 2301.05687], and Lee, Jian, Xu [2301.05238] have formulated decoding transition as an intrinsic transition for the decohered mixed-state.

- Logical qubit lost to environment for $p \geq p_c$ (as detected via "coherent information").
- Renyi negativity also shows a phase transition from log(2) to zero.
- "Markov length" diverges at $p = p_c$ [Sang, Hsieh 2024].

Can one show that the density matrix is SRE in the non-correctable phase?

Decohered density matrix

$$H_{\text{2d toric}} = -\sum_v$$

$$-\sum_p$$ 

local channel: $\mathcal{E}_e[\rho_0] = pZ_e\rho_0 Z_e + (1-p)\rho_0$

[Dennis, Kitaev, Landahl, Preskill '01]

$$\rho \propto \sum_{x_\mathbf{e}} \mathcal{Z}_{\text{2d Ising},x_\mathbf{e}} |\Omega_{x_\mathbf{e}}\rangle\langle\Omega_{x_\mathbf{e}}|$$



$$\mathcal{Z}_{\text{2d Ising},x_\mathbf{e}}(p) = \sum_{z_\mathbf{v}} e^{\beta \sum_e x_e \prod_{v\in e} z_v} \qquad \tanh(\beta) = 1-2p$$

$|\Omega_{x_\mathbf{e}}\rangle \propto \prod_v (I + \prod_{e\ni v} Z_e)|x_\mathbf{e}\rangle$ = subset of toric code eigenstates

Decohered density matrix

$$H_{\text{2d toric}} = -\sum_v \; -\sum_p$$



local channel: $\mathcal{E}_e[\rho_0] = pZ_e\rho_0 Z_e + (1-p)\rho_0$

[Dennis, Kitaev, Landahl, Preskill '01]

$$\rho \propto \sum_{x_e} \mathcal{Z}_{\text{2d Ising},x_e} |\Omega_{x_e}\rangle\langle\Omega_{x_e}|$$



Another viewpoint:

Statistical weights $\mathcal{Z}_{\text{2d Ising},x_e}$

inherited from "parent" cluster state.



"$\sqrt{\rho}$ trick"

Key idea: Write decohered ρ as

$$\rho = \sum_{z_e} \underbrace{\sqrt{\rho}|z_e\rangle}_{|\psi_m\rangle}\langle z_e|\sqrt{\rho} \equiv \sum_m |\psi_m\rangle\langle\psi_m|$$



Claim: **All** $|\psi_m\rangle$ undergo transition from topological to trivial *precisely* at p_c corresponding to the decoding transition. Topological Renyi entanglement of $|\psi_m\rangle$, as well as tunneling probability from one logical state to another relates to free energy cost of inserting a domain wall in 2d random-bond Ising model along the Nishimori line.

Similar argument works for several other CSS codes in 2d and 3d, including fracton codes e.g. X-cube model.

[Yu-Hsueh Chen, TG, 2309.11879]

Structure of the “optimal” decomposition

$$\rho = \sum_{z_{\mathbf{e}}} \sqrt{\rho} |z_{\mathbf{e}}\rangle\langle z_{\mathbf{e}}| \sqrt{\rho}$$

$$\sqrt{\rho}|z_{\mathbf{e}} = 1\rangle \propto \sum_{x_{\mathbf{e}}} [\mathcal{Z}_{\text{2d Ising},x_{\mathbf{e}}}(p)]^{1/2} |x_{\mathbf{e}}\rangle$$

$$\mathcal{Z}_{\text{2d Ising},x_{\mathbf{e}}}(p) = \sum_{z_{\mathbf{v}}} e^{\beta \sum_e x_e \prod_{v \in e} z_v}$$

$$\tanh(\beta) = 1 - 2p$$



Structure of the “optimal” decomposition

$$\rho = \sum_{z_{\mathbf{e}}} \sqrt{\rho}|z_{\mathbf{e}}\rangle\langle z_{\mathbf{e}}|\sqrt{\rho}$$

$$\sqrt{\rho}|z_{\mathbf{e}}=1\rangle \propto \sum_{x_{\mathbf{e}}} [\mathcal{Z}_{\text{2d Ising},x_{\mathbf{e}}}(p)]^{1/2}|x_{\mathbf{e}}\rangle$$





[Ting-Tung Wang, Menghan Song, Zi Yang Meng (Unpublished)]

$(\tanh(1/T) = 1 - 2p)$

Structure of the “optimal” decomposition

$$\rho = \sum_{z_{\mathbf{e}}} \sqrt{\rho}|z_{\mathbf{e}}\rangle\langle z_{\mathbf{e}}|\sqrt{\rho}$$

$$\sqrt{\rho}|z_{\mathbf{e}}=1\rangle \propto \sum_{x_{\mathbf{e}}} [\mathcal{Z}_{\text{2d Ising},x_{\mathbf{e}}}(p)]^{1/2}|x_{\mathbf{e}}\rangle$$



More generally, for a mixed-state ρ, define

$$\mathrm{CMI}_{\min} = \inf \sum_i p_i I(A:B|C)_{\psi_i}$$

where the infimum is taken over all possible decompositions of ρ as $\rho = \sum_i p_i |\psi_i\rangle\langle\psi_i|$

$\mathrm{CMI}_{\min}$ = “long-range part of mixed-state entanglement”

$\rho_{\text{dec}} \neq \sum_m p_m |\mathrm{SRE}_m\rangle\langle\mathrm{SRE}_m|$ $\quad$ $\rho_{\text{dec}} = \sum_m p_m |\mathrm{SRE}_m\rangle\langle\mathrm{SRE}_m|$

critical error rate

error rate

$\mathrm{CMI}_{\min} \neq 0$ $\quad$ $\mathrm{CMI}_{\min} = 0$

Separability perspective on double state & canonical purification

$$|\rho\rangle = \rho_{\mathcal{H}} \otimes I_{\bar{\mathcal{H}}} |\Phi\rangle_{\mathcal{H}\otimes\bar{\mathcal{H}}}$$ "double state" = canonical purification of $\rho^2/\mathrm{tr}(\rho^2)$

[e.g. Bao, Fan, Altman, Vishwanath 2023; Li, Jian, Xu 2023]

$$|\sqrt{\rho}\rangle = \sqrt{\rho}_{\mathcal{H}} \otimes I_{\bar{\mathcal{H}}} |\Phi\rangle_{\mathcal{H}\otimes\bar{\mathcal{H}}}$$ canonical purification of ρ

If $|\sqrt{\rho}\rangle$ is SRE, then $\rho \otimes 1$ can be written as a convex sum of SRE pure states.

If $|\rho\rangle$ is SRE, then $\rho^2 \otimes 1$ can be written as a convex sum of SRE pure states.

Separability perspective on double state & canonical purification

$|\rho\rangle = \rho_{\mathcal{H}} \otimes I_{\bar{\mathcal{H}}} |\Phi\rangle_{\mathcal{H}\otimes\bar{\mathcal{H}}}$ "double state" = canonical purification of $\rho^2/\mathrm{tr}(\rho^2)$

[e.g. Bao, Fan, Altman, Vishwanath 2023; Li, Jian, Xu 2023]

$|\sqrt{\rho}\rangle = \sqrt{\rho}_{\mathcal{H}} \otimes I_{\bar{\mathcal{H}}} |\Phi\rangle_{\mathcal{H}\otimes\bar{\mathcal{H}}}$ canonical purification of ρ



Purification to a trivial state for $p \geq p_c$



$$\rho(\beta) = \mathrm{tr}_A(|\Psi\rangle\langle\Psi|)$$

$$|\Psi\rangle = \left(\prod_p U_{p,A}\right)\left(|\psi(\beta)\rangle \otimes |0\rangle_A^{\otimes N_p}\right)$$

$$|\psi(\beta)\rangle = \sum_{x_e} \sqrt{Z_{x_e}}(\beta)\,|x_e\rangle \qquad U_{p,A} = \frac{I}{\sqrt{2}} + i\frac{B_p \otimes X_A}{\sqrt{2}}$$

Incorporating symmetries

If a density matrix admits a decomposition $\rho = \sum_i p_i |\psi_i\rangle\langle\psi_i|$ where each $|\psi_i\rangle$ is short-ranged entangled, and can be prepared via a finite-depth, local, unitary circuit composed of symmetric gates, then we will call ρ a "sym-SRE mixed-state".



Each local gate ▭ satisfies, [▭, U] = 0, where U is the generator of the symmetry.

Symmetry enforced separability transitions in cluster states



$$H = -\sum_{j=1}^{N}(Z_{b,j-1}X_{a,j}Z_{b,j} + Z_{a,j}X_{b,j}Z_{a,j+1})$$

$$= \sum_{j=1}^{N} h_{a,j} + h_{b,j}$$

Ground state $\rho_0 = \prod_j (1-h_{a,j})(1-h_{b,j})$ is a non-trivial SPT phase (i.e. sym-LRE)

protected by $Z_2 \times Z_2$ symmetry.

Let's subject ρ_0 to the channel $\mathcal{E}_{a/b,j}[\rho] = (1-p_{a/b})\rho + p_{a/b} Z_{a/b,j}\rho Z_{a/b,j}$

Is the resulting state sym-SRE at any non-zero p_a and/or p_b ?

Symmetry enforced separability transitions in cluster states



Result: ρ sym-LRE as long as $p_a = 0$ or $p_b = 0$ (regions i, ii, iii). sym-SRE if both p_a, p_b non-zero (region iv). Proof uses Lieb-Robinson bound [Yu-Hsueh Chen, TG, 2310.07286].

Ma, Wang [2209.02723], and Ma et al [2305.16399]: in regions i, ii, iii, ρ cannot be purified to an SRE pure state using symmetric, finite-depth channel. Recent relation to SPT as a resource for transmitting quantum information: Zhang, Agarwal, Vijay [2405.05965].

Symmetry enforced separability transitions in cluster states



p+ip SC subjected to fermionic Kraus operators

$$\rho_d = \mathcal{E}[|\text{p+ip}\rangle\langle\text{p-ip}|] \qquad \mathcal{E}_j[\rho] = (1-p)\rho + p\gamma_j\rho\gamma_j$$

(explicitly breaks fermion parity from strong to weak)

Double state:





Claim: $\rho_d = \sum_i p_i \, |\text{Gapped non-chiral}\rangle_i \, {}_i\langle\text{Gapped non-chiral}|$

basic idea:

$$\rho_d = \sum_m \sqrt{\rho_d}|\text{product state}\rangle_m \, {}_m\langle\text{product state}|\sqrt{\rho_d}$$

[Yu-Hsueh Chen, TG, 2310.07286]



p+ip SC subjected to bilinear Kraus operators

$$\rho_d = \mathcal{E}[|\text{p+ip}\rangle\langle\text{p-ip}|] \qquad \mathcal{E}_{\langle \mathbf{x},\mathbf{y}\rangle}[\rho] = (1-p)\rho + p\gamma_{\mathbf{x}}\gamma_{\mathbf{y}}\rho\gamma_{\mathbf{x}}\gamma_{\mathbf{y}}$$

(fermion parity = strong symmetry)

Double state:



$\gamma_L\,\partial_x\gamma_L\,\gamma_R\,\partial_x\gamma_R$

Field theory arguments suggest the following phase diagram for the double state:

[Yu-Hsueh Chen, TG, 2310.07286]

Is there a phase transition in "single copy", as detected by, say, $S = -\,\mathrm{tr}(\rho\log(\rho))$?

If yes, strong-to-weak symmetry breaking of fermion parity, no pure state analog.

Other examples of strong-to-weak SSB: [Ma, Wang '22; Li, Jian, Xu '23; Ma et al '23, Lessa et al '24; Sala et al '24]

- Decoherence induced separability transitions.
- Separability transitions in Gibbs states.
  A. Quantum Ising model.
  B. Toric codes.
  C. NLTS Hamiltonians.

Spontaneous symmetry breaking as a separability transition

$H = -\sum_{\langle i,j \rangle} Z_i Z_j - h \sum_i X_i$

on a square lattice



Claim:

The Gibbs state $\rho \propto e^{-H/T}$ is sym-LRE for $T < T_c$

Proof by contradiction: Assume ρ is sym-SRE for $T < T_c$.

separate ρ into even and odd Ising sectors: $\rho = \rho_+ + \rho_-$

$$\rho_\pm = \sum_\alpha p_{\alpha,\pm} |\psi_{\alpha,\pm}\rangle\langle\psi_{\alpha,\pm}|$$

$$\rho \text{ sym-SRE} \Rightarrow |\psi_{\alpha,\pm}\rangle \text{ SRE}$$

$$\Rightarrow \langle\psi_{\alpha,\pm}|Z_j Z_k|\psi_{\alpha,\pm}\rangle - \cancel{\langle\psi_{\alpha,\pm}|Z_j|\psi_{\alpha,\pm}\rangle\langle\psi_{\alpha,\pm}|Z_k|\psi_{\alpha,\pm}\rangle} \sim e^{-|i-j|/\xi}$$

$$\Rightarrow \mathrm{tr}\,(\rho Z_j Z_k) = \sum_\pm \sum_\alpha p_{\alpha,\pm} \overset{0}{\langle\psi_{\alpha,\pm}|Z_j} \overset{0}{Z_k|\psi_{\alpha,\pm}\rangle} \sim e^{-|i-j|/\xi}$$

Contradiction because of spontaneous long-range order for $T < T_c$

[Yu-Hsueh Chen, TG, 2310.07286, argument inspired from Lu, Zhang, Vijay, Hsieh 2303.15507]

Spontaneous symmetry breaking as a separability transition

$H = -\sum_{\langle i,j \rangle} Z_i Z_j - h \sum_i X_i$

on a square lattice



"optimal" sym-SRE decomposition:

$$\rho = \sum_{x_{\mathbf{v}}} \sqrt{\rho}\,|x_{\mathbf{v}}\rangle\langle x_{\mathbf{v}}|\sqrt{\rho}$$

Conjecture: Pure states $\sqrt{\rho}\,|x_{\mathbf{v}}\rangle$ are SRE only for T > Tc.

[Yu-Hsueh Chen, TG, 2310.07286]

Consider Gibbs state of Toric code in various dimensions…

$$H = -\lambda_A \sum_s A_s - \lambda_B \sum_p B_p$$



Let's write ρ as: $\rho = \frac{1}{Z}\sum_m \underbrace{e^{-\beta H/2}|m\rangle}_{=|\phi_m\rangle}\langle m|e^{-\beta H/2} = \frac{1}{Z}\sum_m |\phi_m\rangle\langle\phi_m|$

where $\{|m\rangle\}$ = complete set of product states in the X or Z basis.

One can argue that all $|\phi_m\rangle$ are SRE whenever $T > \min(T_A, T_B)$ where T_A, T_B correspond to the critical temperatures of the classical Hamiltonians A_s, B_p

	T_A	T_B
2+1-D	0	0
3+1-D	0	λ_B
4+1-D	λ_A	λ_B





[Tsung-Cheng Lu, Tim Hsieh, TG 1912.04293]

- Decoherence induced separability transitions.
- Separability transitions in Gibbs states.
  A. Quantum Ising model.
  B. Toric codes.
  C. NLTS Hamiltonians.

An exotic separability transition

Recently, quantum Hamiltonians have been discovered [Panteleev, Kalachev 2022; Leverrier, Zemor 2022; Dinur et al 2022; Anshu, Breuckmann, Nirkhe 2022] which satisfy the Freedman-Hastings "NLTS conjecture":



NLTS = $\exists\, e_c > 0$ such that *any* state $|\psi\rangle$ that satisfies $\langle\psi|H|\psi\rangle/N < e_c$ cannot be prepared via a constant depth circuit.

Can the Gibbs state of NLTS satisfying Hamiltonian be SRE?

Suggestive arguments that Gibbs state has no partition fn singularity at T > 0.



NLTS = $\exists\, e_c > 0$ such that *any* state $|\psi\rangle$ that satisfies $\langle\psi|H|\psi\rangle/N < e_c$ cannot be prepared via a constant depth circuit.

One can show that the Gibbs state of NLTS Hamiltonian in fact *cannot* be SRE for $T < T_c \neq 0$.

Basic idea: if it were SRE for all $T > 0$, i.e. if $e^{-\beta H}/Z \propto \sum_i p_i |\psi_i\rangle\langle\psi_i|$ where $|\psi_i\rangle$ are all SRE, then the expectation value of energy density would exceed e_c, leading to a contradiction.

⇒ Separability transition in the Gibbs state without any partition fn singularity! (conjecture).

[Yu-Hsueh Chen, TG, 2310.07286; See also Hong, Guo, Lucas, 2403.10599: finite-T memory in these same Hamiltonians]

Summary and a few questions

- Separability criterion provides an organizing principle to classify mixed states as long range or short range entangled, with or without imposing symmetry.
- The decoding transition in several topological codes coincides with the separability transition: above the error threshold, the mixed state can be written as a convex sum of short-range entangled states.
- Other examples of separability transitions: mixed SPT states, spontaneous symmetry breaking, Gibbs state of NLTS Hamiltonians.

- Generalization to other topologically ordered/SPT states?
- Theory of separability transition in Gibbs state with no partition-fn singularity?
- Field theoretic calculation of entanglement of proposed optimal pure states?
- Interplay of noise and braid statistics, e.g., toric code subjected to $X + Z$ Kraus operators?



$$|\Psi(h)\rangle = \prod_e e^{h(X_e+Z_e)} |\text{Toric code}\rangle$$

subjected to (X+Z) Kraus operators with probability p.

2403.06553



NLTS = $\exists\, e_c > 0$ such that *any* state $|\psi\rangle$ that satisfies $\langle\psi|H|\psi\rangle/N < e_c$ cannot be prepared via a constant depth circuit.

One can show that the Gibbs state of NLTS Hamiltonian in fact *cannot* be SRE for $T < T_c \neq 0$.

Basic idea: if it were SRE for all $T > 0$, i.e. if $e^{-\beta H}/Z \propto \sum_i p_i |\psi_i\rangle\langle\psi_i|$ where $|\psi_i\rangle$ are all SRE, then the expectation value of energy density would exceed e_c, leading to a contradiction.

⇒ Separability transition in the Gibbs state without any partition fn singularity! (conjecture).

[Yu-Hsueh Chen, TG, 2310.07286; See also Hong, Guo, Lucas, 2403.10599: finite-T memory in these same Hamiltonians]