
Title: Adventures with Superstrings


Date: Aug 03, 2009 09:10 AM


URL: http://pirsa.org/09080022

Abstract: Physics emerged from the twentieth century with two remarkably successful descriptions of nature which stand in striking contrast. Quantum mechanics describes the subatomic realm with intrinsic uncertainties and probabilities. On the other hand, Einstein's general relativity describe gravitational phenomena in an exacting geometric arena. Theoretical physicists have struggled for over fifty years trying to combine these views in a single unified framework. More recently, superstring theory has drawn a huge amount of interest as a leading contender to provide such a unification. Superstring theory is a theory of strings, branes, extra spacetime dimensions and much more. In my lecture, I will try to give a flavour for what superstring theory is all about and why physicists, like myself, continue to be so excited about this, perhaps the final theory.


Pirsa: 09080022 Page 1/286














EONARD SUSSKIND


Pirsa: 09080022 S A P E


RING THEORY AND THE ILLUSION











Pirsa: 09080022






ELECTROMAGNETISM

THERMODYNAMICS




QUANTUM MECHANICS


















QUANTUM MECHANICS




















QUANTUM MECHANICS






















QUANTUM MECHANICS








Page 11/286



Einstein:

Gravity: It's all just straight lines!




Special Relativity (1905):


Space and time are inextricably linked <u>Spacetime</u>

General Relativity (1915):

Gravity is a manifestation of spacetime curvature.





General Relativity: a rich source of new ideas



- Deflection of Light by the Sun
- Gravitational Redshift
- Precession of the Perihelion of Mercury
- Time Delay of Light,

Hulse and Taylor: Nobel Prize in 1993!!






Global Positioning System (GPS):

Accurate positioning requires accounting for affects of general relativity on clocks in orbit and on earth







Pirsa: 09080022

- Deflection of Light by the Sun
- Gravitational Redshift
- Precession of the Perihelion of Mercury
- Time Delay of Light,

Hulse and Taylor: Nobel Prize in 1993!!






Global Positioning System (GPS):

Accurate positioning requires accounting for affects of general relativity on clocks in orbit and on earth






Pirsa: 09080022

- Deflection of Light by the Sun
- Gravitational Redshift
- Precession of the Perihelion of Mercury
- Time Delay of Light,

Hulse and Taylor: Nobel Prize in 1993!!




General Relativity is the geometric arena of physics on very large scales:

planets, stars, galaxies, cosmology

Quantum Mechanics (or Quantum Field Theory) is the probabilistic arena of physics on very small scales

Particles can act like waves!

de Broglie wavelength:
$$\lambda = \frac{2\pi h}{p}$$
 Planck's constant



$$\lambda_{\text{rain drop}} \approx 4 \times 10^{-30} \text{ m}$$

Positions are uncertain for the very small! Pirsa: 09080022




Page 20/286

Quantum Mechanics (or Quantum Field Theory) is the probabilistic arena of physics on very small scales

Particles can act like waves!

Pirsa: 09080022

de Broglie wavelength:
$$\lambda = \frac{2\pi h}{p}$$
 Planck's constant



$$\lambda_{\text{rain drop}} \approx 4 \times 10^{-30} \text{m}$$

 $\approx .000000 \cdots 000004 \text{m}$

30 digits

Positions are uncertain

for the very small!




Page 21/286

Quantum Mechanics (or Quantum Field Theory) is the probabilistic arena of physics on very small scales

Particles can act like waves!

de Broglie wavelength: $\lambda = 1$


$$\lambda = \frac{2\pi \ \hbar}{p} \leftarrow \frac{\text{Planck's constant}}{\text{constant}}$$




$$\lambda_{\text{rain drop}} \approx 4 \times 10^{-30} \text{ m}$$

$$\lambda_{\text{electron}} \approx 3 \times 10^{-10} \text{m} = 3 \text{ Å}$$

Quantum fluctuations are manifest in behavior of <u>subatomic</u> particles





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

w[±] , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

 \mathbf{w}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

w[±] , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)

gluon (strong) w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

w+ , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:






Elementary Particles (10 ⁻¹⁷ m)


Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w± , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)


w[±], Z (weak)

W , Z (WEdk)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)

gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)


Higgs particle

Standard Model of Subatomic Physics:

above particles plus interactions (and ~20 free parameters)



Page 74/286



Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

Pirsa: 09080022

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)

w[±] , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

w+ , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:






Elementary Particles (10 ⁻¹⁷ m)


Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w± , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10⁻¹⁷m)


Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

Standard Model of Subatomic Physics:





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism)

gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)


Higgs particle

Standard Model of Subatomic Physics:



Example: electrons are tiny magnets


 $\mu_e = g e \hbar / 4 m_e$ with $g \approx 2$





Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4m_e$$
 with $g \approx 2$



precise value of magnetic moment depends on quantum fluctuations





Pirsa: 09080022

 $\mu_{\text{measured}} = 2.0023193043738$

Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4m_e$$
 with $g \approx 2$






$$\mu_{\text{calculated}} = 2.0023193043070$$

Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4m_e$$
 with $g \approx 2$






$$\mu_{\text{measured}} = 2.0023193043738$$


$$\mu_{\text{calculated}} = 2.0023193043070$$

$$\frac{\mu_{\text{calculated}} - \mu_{\text{measured}}}{\mu_{\text{measured}}} < 10^{-10}$$

Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4 m_e$$
 with $g \approx 2$






$$\mu_{\text{calculated}} = 2.0023193043070$$

Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4m_e$$
 with $g \approx 2$






$$\mu_{\text{measured}} = 2.0023193043738$$

$$\mu_{\text{calculated}} = 2.0023193043070$$


$$\frac{\mu_{
m calculated} - \mu_{
m measured}}{\mu_{
m measured}} < 10^{-10}$$

Example: electrons are tiny magnets

$$\mu_e = g e \hbar / 4m_e$$
 with $g \approx 2$



precise value of magnetic moment depends on quantum fluctuations



$$\mu_{\text{calculated}} = 2.0023193043070$$

(neither answer absolutely correct)



e.g., magnetic moment of the electron, $\mu_e = g \frac{e \hbar}{4 m_e}$, is modified by quantum fluctuations

$$\frac{\mu_{\text{theory}} - \mu_{\text{experiment}}}{\mu_{\text{experiment}}} \le 10^{-10}$$



e.g., Lamb shift: shift between $2S_{1/2}$ and $2P_{1/2}$ energy levels of hydrogen atom (f = 1057 MHz)

$$\frac{|\mathbf{f}_{\text{theory}} - \mathbf{f}_{\text{experiment}}|}{|\mathbf{f}_{\text{experiment}}|} \le 10^{-6}$$

Quantum Theory: a rich source of new ideas

band structure in materials

semiconductor ted

Bose Einstein condensation
 superfluids, superconductors

quantum Hall effect, neutron diffraction,

electron microscopy, lasers, magnetic resonance imaging,

Quantum Theory: a rich source of new ideas

band structure in materials


semiconductor ted

Bose Einstein condensation
 superfluids, superconductors

quantum Hall effect, neutron diffraction,

electron microscopy, lasers, magnetic resonance imaging,

Nobel prizes galore!!




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle

Pirsa: 09080022 Page 100/286




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle



Elementary Particles (10 ⁻¹⁷ m)


Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)

gluon (strong)

w[±], Z (weak)

Higgs particle




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle



Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

w[±], Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

w[±], Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

w[±], Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

w[±], Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism) gluon (strong)

wt, Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)


Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)

gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)


Higgs particle

 10^{-35} m



Subatomic Physics

a theory of strings!



Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism


photon (electromagnetism)


gluon (strong)

 \mathbf{W}^{\pm} , Z (weak)

Higgs particle

 10^{-35} m





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
w[±], Z (weak)

Higgs particle

 10^{-35} m



The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:


with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The essential idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_S = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)




all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_S = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)




all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_S = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)




all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_S = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)




all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)




all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$

The idea:

with sufficient resolution, all elementary particles are one-dimensional objects (strings)



all particle types are the same kind of string vibrating or rotating in different ways

the typical size of the strings is the fundamental scale of the theory, $\ell_s = 10^{-35} \text{m}$






















Pirsa: 09080022 Page 155/286




















Pirsa: 09080022 Page 162/286





Pirsa: 09080022 Page 163/286



Pirsa: 09080022 Page 164/286








with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise 000 pecies and interactions to match Standard Medical

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise of the prise of

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise of the prise of

with resolution, $\ell_S = 10^{-35} \mathrm{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Mendel

with resolution, $\ell_S = 10^{-35} \mathrm{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Mendel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise of pecies and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle press: 000 pecies and interactions to match Standard Mendel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prisa: 090 pecies and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)




interactions are geometric joining and splitting governed by coupling constant, g




with these simple rules get appropriate particle prise competitions and interactions to match Standard Merchel

with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g




Superstrings: the theory of subatomic physics


with resolution, $\ell_S = 10^{-35} \text{m}$, all elementary particles are one-dimensional objects (strings)



interactions are geometric joining and splitting governed by coupling constant, g



with these simple rules get appropriate particle prisa: 090 pecies and interactions to match Standard Mendel




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle

What's missing here?




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle

What's missing here?



Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):

photon (electromagnetism)


gluon (strong)

 W^{\pm} , Z (weak)

Higgs particle

What's missing here?

Pirsa: 09080022 Page 184/286



Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):


photon (electromagnetism) gluon (strong)

W=, Z (weak)

Higgs particle

What's missing here?

Pirsa: 09080022 Page 185/286




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle

What's missing here?



Elementary Particles (10 ⁻¹⁷ m)


Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W= , Z (weak)

Higgs particle

What's missing here?

Pirsa: 09080022 Page 187/286



Elementary Particles (10 ⁻¹⁷ m)

Fermions:


electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators): photon (electromagnetism)

gluon (strong)

W=, Z (weak)

Higgs particle

What's missing here?




Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W=, Z (weak)

Higgs particle

What's missing here?





Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle







Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle







Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±] , Z (weak)

Higgs particle







Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle






Elementary Particles (10 ⁻¹⁷ m)

Fermions:

electron, muon, tauon neutrinos (3 flavors) quarks - up, down, strange, charm, bottom, top Bosons (Force Mediators):
photon (electromagnetism)
gluon (strong)
W[±], Z (weak)

Higgs particle



Superstrings: the theory of gravitational physics

consistency requires appearance of the graviton!

at long distances much greater than ℓ_s , reproduces Einstein's gravitational equations

$$R_{\mu\nu} - \frac{1}{2} R g_{\mu\nu} = 8\pi G T_{\mu\nu}$$

Superstrings naturally provides a unified framework for Quantum Field Theory and General Relativity 195/286

Superstrings: the theory of gravitational physics

consistency requires appearance of the graviton!

at long distances much greater than ℓ_s , reproduces Einstein's gravitational equations

$$R_{\mu\nu} - \frac{1}{2} R g_{\mu\nu} = 8\pi G T_{\mu\nu}$$
 Newton's constant

Superstrings naturally provides a unified framework for Quantum Field Theory and General Relativity 196/286

Superstrings: the theory of gravitational physics


consistency requires appearance of the graviton!


at long distances much greater than ℓ_s , reproduces Einstein's gravitational equations


$$R_{\mu\nu} - \frac{1}{2} R g_{\mu\nu} = 8\pi G T_{\mu\nu}$$
 Newton's constant


sets the string length scale: $\ell_s \approx \sqrt{\frac{G\hbar}{c^3}} = 10^{-35} \text{m}$

Superstrings naturally provides a unified framework for Quantum Field Theory and General Relativity 197/286














0





















Predicts we live in 10 spacetime dimensions!!

Experimental update: we live in 4 dimensions! (1 time and 3 space)

Predicts we live in 10 spacetime dimensions!!

Experimental update: we live in 4 dimensions!


Big fix: Perhaps we haven't seen the extra dimensions yet.



Predicts we live in 10 spacetime dimensions!!

Experimental update: we live in 4 dimensions!


Big fix: Perhaps we haven't seen the extra dimensions yet.



Page 212/286

Predicts we live in 10 spacetime dimensions!!

Experimental update: we live in 4 dimensions!



Benefit: richness of four-dimensional physics comes from geometry of the extra dimensions

- Predicts we live in 10 spacetime dimensions!!
 Experimental update: we live in 4 dimensions!
- Predicts extra particles we haven't seen yet!

(Supersymmetry: each fermion is accompanied by a bosonic partner of the same mass)

- Predicts we live in 10 spacetime dimensions!!
 Experimental update: we live in 4 dimensions!
- Predicts extra particles we haven't seen yet!

(Supersymmetry: each fermion is accompanied by a bosonic partner of the same mass)

Big fix: Perhaps we should look harder.

Benefit: SUSY tames the short distance (quantum) fluctuations of the theory

Superstring theory: Details, details, details,

Have five consistent superstring theories:
 Type I, Type IIA, Type IIB,
 Heterotic E₈ X E₈, Heterotic SO(32)

one universe — four too many theories?!?

Superstring theory: The devil is in the "details"

- Predicts we live in 10 spacetime dimensions!!
 Experimental update: we live in 4 dimensions!
- Predicts extra particles we haven't seen yet!

(Supersymmetry: each fermion is accompanied by a bosonic partner of the same mass)

Big fix: Perhaps we should look harder.

Benefit: SUSY tames the short distance (quantum) fluctuations of the theory

Superstring theory: Details, details, details,

Have five consistent superstring theories:
 Type I, Type IIA, Type IIB,
 Heterotic E₈ X E₈, Heterotic SO(32)

one universe — four too many theories?!?

Superstring theory: The devil is in the "details"

- Predicts we live in 10 spacetime dimensions!!
 Experimental update: we live in 4 dimensions!
- Predicts extra particles we haven't seen yet!

(Supersymmetry: each fermion is accompanied by a bosonic partner of the same mass)

Big fix: Perhaps we should look harder.

Benefit: SUSY tames the short distance (quantum) fluctuations of the theory

Superstring theory: Details, details, details,

Have five consistent superstring theories:
 Type I, Type IIA, Type IIB,
 Heterotic E₈ X E₈, Heterotic SO(32)

one universe — four too many theories?!?


Superstring theory: Details, details, details,

- Have five consistent superstring theories:
 Type I, Type IIA, Type IIB,
 Heterotic E₈ X E₈, Heterotic SO(32)
- Conjecture: all known string theories are different solutions of single fundamental theory

→ M-theory

 Dualites: two mathematical descriptions describe identical physical phenomena

 Dualites: two mathematical descriptions describe identical physical phenomena




$$C_2 = \frac{2\pi \,\ell_s^2}{R}$$




 Dualites: two mathematical descriptions describe identical physical phenomena


Eg, T-duality relates large and small circle compactifications




 Dualites: two mathematical descriptions describe identical physical phenomena



 Dualites: two mathematical descriptions describe identical physical phenomena




 Dualites: two mathematical descriptions describe identical physical phenomena



 Dualites: two mathematical descriptions describe identical physical phenomena

Eg, T-duality relates large and small circle compactifications



String winding modes!!


$$E_{w} = mTC$$

$$= m \frac{1}{2\pi \ell_{s}^{2}} 2\pi R$$

$$E_p = m rac{R}{\ell_s^2}$$


$$C_2 = \frac{2\pi \,\ell_s^2}{R}$$

 Dualites: two mathematical descriptions describe identical physical phenomena



 Dualites: two mathematical descriptions describe identical physical phenomena

Eg, T-duality relates large and small circle compactifications



String winding modes!!


$$E_{w} = mTC$$

$$= m \frac{1}{2\pi \ell_{s}^{2}} 2\pi R$$


$$E_p = m \frac{R}{\ell_s^2}$$

$$C_2 = \frac{2\pi \,\ell_s^2}{R}$$

 Dualites: two mathematical descriptions describe identical physical phenomena



 Dualites: two mathematical descriptions describe identical physical phenomena



String theory is more than a theory of strings!

 D-branes: string theory contains other kinds of objects extended in 0, 1, 2, . . . dimensions




$$T_p = \frac{2\pi}{(2\pi\ell_s)^{p+1}g}$$
 — extremely heavy in weak coupling

extremely important in strong coupling



Superstring theory: Unique theory of everything


 M-theory Conjecture: all known string theories are different solutions of single fundamental theory




Pirsa: 09080022 Page 234/286


Superstring theory: Unique theory of everything

 M-theory Conjecture: all known string theories are different solutions of single fundamental theory




M-theory also includes 11-dimensional supergravity!







Pirsa: 09080022


Page 237/286




Pirsa: 09080022 Page 238/286











Page 241/286 Pirsa: 09080022


















Pirsa: 09080022


Page 247/286













STRING THEORY SUMMARIZED:


I JUST HAD AN AWESOME IDEA.
SUPPOSE ALL MATTER AND ENERGY
IS MADE OF TINY, VIBRATING "STRINGS."



Superstring theory: a theory looking for a good experiment


accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,






Page 254/286

How far away is the Planck scale really?



(Some) Extra dimensions may be very large!


How far away is the Planck scale really?



(Some) Extra dimensions may be very large!

Advantage:
$$G_4 = G_{10}/V_6$$

How far away is the Planck scale really?




(Some) Extra dimensions may be very large!


Advantage: $\ell_{P,10}^8 = V_6 \ell_{P,4}^2$

Planck scale may be within reach!! Page 257/280

Superstring theory: a theory looking for a good experiment

accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,






Page 258/286


Superstring theory: a theory looking for a good experiment

accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,

cosmological experiments: extreme conditions of early universe may have left stringy imprints




Cosmology: extreme conditions of early universe give a window on small scales and high energies



Superstring theory: a theory looking for a good experiment

accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,

cosmological experiments: extreme conditions of early universe may have left stringy imprints



a mathematical model of our physical universe


Studies of string theory draw upon an enormous range of modern mathematics:

complex analysis, group theory, fibre bundles, gerbes, topology, differential geometry, mirror symmetry, (-theory, derived categories, noncommutative geometry)

Superstring theory: a theory looking for a good experiment

accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,

cosmological experiments: extreme conditions of early universe may have left stringy imprints



a mathematical model of our physical universe

Studies of string theory draw upon an enormous range of modern mathematics:

complex analysis, group theory, fibre bundles, gerbes, topology, differential geometry, mirror symmetry, (-theory, derived categories, noncommutative geometry)

a mathematical model of our physical universe


Studies of string theory draw upon an enormous range of modern mathematics:

complex analysis, group theory, fibre bundles, gerbes, topology, differential geometry, mirror symmetry, C-theory, derived categories, noncommutative geometry



We are still groping for the language of string theory!

a mathematical model of our physical universe






We are still searching for the full picture!

early 1900's -

Ernst Mach: "atoms are physically unverifiable entities"

early 1990's –
individual atoms are
manipulated using
atomic force microscopy




Pirsa: 09080022 Page 267/286

early 1900's -

Ernst Mach: "atoms are physically unverifiable entities"

early 1990's —
individual atoms are
manipulated using
atomic force microscopy



For superstrings, the adventure is still only beginning!

Pirsa: 09080022

age 268/286

More strings on the web:

"The Elegant Universe" Brian Greene

http://www.pbs.org/wgbh/nova/elegant/

Superstrings!

http://www.sukidog.com/jpierre/strings/

The Official String Theory Web Site:


http://superstringtheory.com/

"It's the 21st century time to feed your brain!"

Essential ingredients for M-theory conjecture:

 Dualites: two mathematical descriptions describe identical physical phenomena


Eg, T-duality relates large and small circle compactifications




Superstring theory: a theory looking for a good experiment


accelerator experiments: probe 10¹² eV and beyond Tevatron, Large Hadron Collider,

cosmological experiments: extreme conditions of early universe may have left stringy imprints




String theory: a rich source of new ideas







Why RHIC? What has RHIC taught us? Why superstring theory? ind-view of Star event


CD Phase Diagram (according to theorists):




Pirsa: 09080022 Page 276/286









asymmetric region participates in collision; almond shape



free-streaming particles emerge uniformly in φ




asymmetric region participates in collision; almond shape




Collective flow: pressure gradients generate nonuniform distribution

 $v_2 \sim \langle \cos 2\phi \rangle \neq 0$



Collective flow: pressure gradients generate nonuniform distribution


$$v_2 \sim \langle \cos 2\phi \rangle \neq 0$$



fluid behaviour

Collective flow: pressure gradients generate nonuniform distribution


$$v_2 \sim \langle \cos 2\phi \rangle \neq 0$$



----> "near ideal fluid"

Collective flow: pressure gradients generate nonuniform distribution

$$v_2 \sim \langle \cos 2\phi \rangle \neq 0$$




----> "near ideal fluid"

Data also indicates Shear Viscosity η is small!

Collective flow: pressure gradients generate nonuniform distribution


$$v_2 \sim \langle \cos 2\phi \rangle \neq 0$$



----> "near ideal fluid"

Data also indicates Shear Viscosity η is small!

$$au = \eta \, rac{\partial u}{\partial y}$$



urprise:

Just above critical temperature, quark-gluon plasma behaves like a near ideal fluid with:

$$\eta/s \simeq .08 - .16$$

Theoretical challenge: **both** perturbative analytic and computer techniques fail for strong-coupling dynamics!

urprise: Just above critical temperature, quark-gluon plasma behaves like a near ideal fluid with:

$$\eta/s \simeq .08 - .16$$

Theoretical challenge: both perturbative analytic and computer techniques fail for strong-coupling dynamics!

urprise 2: using techniques emerging from string theory, Kovtun, Son & Starinets found:

$$\frac{\eta}{s} = \frac{1}{4\pi} \sim 0.08 \quad \blacksquare$$