

Title: Foundations and Interpretation of Quantum Theory - Lecture 17

Date: Mar 18, 2010 02:30 PM

URL: <http://pirsa.org/10030024>

Abstract:

The Many-Worlds Interpretation

Lev Vaidman

A tale of a single world universe

Quantum states of all macroscopic objects are
Localized Wave Packets all the time



$$\Psi^{UNIVERSE}(\vec{r}_1, \vec{r}_2, \dots, \vec{r}_N, t) = \psi^1(\vec{r}_1) \psi^2(\vec{r}_2) \dots \psi^N(\vec{r}_N)$$

$$\Psi^{WORLD} = \psi_{CM}^1(\vec{r}_1^{CM}) \varphi_{rel}^1(\vec{r}_{1i} - \vec{r}_{1j}) \psi_{CM}^2(\vec{r}_2^{CM}) \varphi_{rel}^2(\vec{r}_{2i} - \vec{r}_{2j}) \dots \psi_{CM}^M(\vec{r}_M^{CM}) \varphi_{rel}^1(\vec{r}_{Mi} - \vec{r}_{Mj}) \Phi^{REST}$$

$$\Rightarrow \rho(\vec{r})$$

$\rho(\vec{r})$ of a cat!

experience \Leftrightarrow TRIVIAL

$$\psi^1(\vec{r}_1) \psi^2(\vec{r}_2) \dots \psi^N(\vec{r}_N)$$




Almost the same as in


Textbook collapse

GRW-Pearle Collapse (mass density)


Bohmian trajectories



Two worlds universe




Two worlds universe




This is a multiple worlds universe

Two worlds universe




Two worlds universe

One world does not disturb the other




Two worlds universe

One world does not disturb the other




Two worlds universe

One world does not disturb the other




Two worlds universe

One world does not disturb the other



Two worlds universe


Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$



Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY




Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

$$|A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

$$\rightarrow |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$


STABILITY



Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$|A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

$$\rightarrow |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$


$$\rightarrow |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}$$

$$|B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$|A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

$$\rightarrow |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

$$\rightarrow |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}$$

$$|B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$


$$\rightarrow |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV}$$

Two worlds universe

Preferred basis:

$$\{|A\rangle, |B\rangle\} \text{ or } \left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$$

STABILITY




$$\begin{aligned} & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} \end{aligned}$$

$$\begin{aligned} & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV} \end{aligned}$$

Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$\begin{aligned}
 & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}
 \end{aligned}$$


$$\begin{aligned}
 & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}
 \end{aligned}$$

$$|+\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$\begin{aligned}
 & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}
 \end{aligned}$$

$$\begin{aligned}
 & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}
 \end{aligned}$$


$$|+\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV}$$

Two worlds universe

Preferred basis:

$$\{|A\rangle, |B\rangle\} \text{ or } \left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$$

STABILITY



$$\begin{aligned} & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} \end{aligned}$$


$$\begin{aligned} & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV} \end{aligned}$$

$$\begin{aligned} & |+\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\ \rightarrow & \frac{|A\rangle |V\rangle_{MDA} |R\rangle_{MDB} + |B\rangle |R\rangle_{MDA} |V\rangle_{MDB}}{\sqrt{2}} |R\rangle_{ENV} \end{aligned}$$

Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$\begin{aligned}
 & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}
 \end{aligned}$$


$$\begin{aligned}
 & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}
 \end{aligned}$$

$$\begin{aligned}
 & |+\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & \frac{|A\rangle |V\rangle_{MDA} |R\rangle_{MDB} + |B\rangle |R\rangle_{MDA} |V\rangle_{MDB}}{\sqrt{2}} |R\rangle_{ENV} \\
 \rightarrow & \frac{|A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} + |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}}{\sqrt{2}}
 \end{aligned}$$

Two worlds universe

Preferred basis: $\{|A\rangle, |B\rangle\}$ or $\left\{ \frac{|A\rangle + |B\rangle}{\sqrt{2}}, \frac{|A\rangle - |B\rangle}{\sqrt{2}} \right\} \equiv \{|+\rangle, |-\rangle\}$

STABILITY



$$\begin{aligned}
 & |A\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV}
 \end{aligned}$$

$$\begin{aligned}
 & |B\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}
 \end{aligned}$$

$$\begin{aligned}
 & |+\rangle |R\rangle_{MDA} |R\rangle_{MDB} |R\rangle_{ENV} \\
 \rightarrow & \frac{|A\rangle |V\rangle_{MDA} |R\rangle_{MDB} + |B\rangle |R\rangle_{MDA} |V\rangle_{MDB}}{\sqrt{2}} |R\rangle_{ENV} \\
 \rightarrow & \frac{|A\rangle |V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} + |B\rangle |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}}{\sqrt{2}}
 \end{aligned}$$

$$\begin{aligned}
 = & |+\rangle \frac{|V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} + |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}}{2} + |-\rangle \frac{|V\rangle_{MDA} |R\rangle_{MDB} |A\rangle_{ENV} - |R\rangle_{MDA} |V\rangle_{MDB} |B\rangle_{ENV}}{2}
 \end{aligned}$$

What is "a world" in the many-worlds picture?

experience i



world i



$$\Psi_i(\vec{r}_1, \vec{r}_2, \dots, \vec{r}_N, t)$$

A



B



$$\Psi_i = \psi_i^{\text{OBJECT}_1} \psi_i^{\text{OBJECT}_2} \dots \psi_i^{\text{OBJECT}_K} \phi_i^{\text{REST}}$$

$$\psi_i^{\text{OBJECT}}$$

is a **Localized Wave Packet**
for a period of time



A world consist of:

- "classical" macroscopic objects rapidly measured by the environment,

What is "a world" in the many-worlds picture?


experience i



world i



$$\Psi_i(\vec{r}_1, \vec{r}_2, \dots, \vec{r}_N, t)$$



$$\Psi_i = \psi_i^{OBJECT_1} \psi_i^{OBJECT_2} \dots \psi_i^{OBJECT_K} \phi_i^{REST}$$


ψ_i^{OBJECT} is a **Localized Wave Packet** for a period of time

A world consist of:

- "classical" macroscopic objects rapidly measured by the environment,
- quantum objects measured only occasionally (at world splitting events),

What is "a world" in the many-worlds picture?

experience i \Leftrightarrow world i $\Leftrightarrow \Psi_i(\vec{r}_1, \vec{r}_2, \dots, \vec{r}_N, t)$




$$\Psi_i = \psi_i^{\text{OBJECT}_1} \psi_i^{\text{OBJECT}_2} \dots \psi_i^{\text{OBJECT}_K} \phi_i^{\text{REST}}$$

ψ_i^{OBJECT} is a **Localized Wave Packet** for a period of time

A world consist of:

- "classical" macroscopic objects rapidly measured by the environment,
- quantum objects measured only occasionally (at world splitting events),

Many worlds universe



What is "a world" in the many-worlds picture?

experience i



world i



$$\Psi_i(\vec{r}_1, \vec{r}_2, \dots, \vec{r}_N, t)$$

A




B



$$\Psi_i = \psi_i^{\text{OBJECT}_1} \psi_i^{\text{OBJECT}_2} \dots \psi_i^{\text{OBJECT}_K} \phi_i^{\text{REST}}$$

ψ_i^{OBJECT}

is a **Localized Wave Packet**
for a period of time




A world consist of:

- "classical" macroscopic objects rapidly measured by the environment,
- quantum objects measured only occasionally (at world splitting events),


Many worlds universe

Single Slit Diffraction Pattern



Many worlds universe

Single Slit Diffraction Pattern




Locality and strength of the interaction to numerous particles ensure stability of all worlds


The tree of worlds




The tree of worlds




The tree of worlds




Test of the MWI




Test of the MWI




Test of the MWI




Test of the MWI




Test of the MWI




Test of the MWI




Test of the MWI




Test of the MWI




The tree of worlds



Test of the MWI



Test of the MWI





Do we experience amplitude?

$$|\Psi_i\rangle = \sqrt{\frac{3}{4}}|\Psi_A\rangle + \sqrt{\frac{1}{4}}|\Psi_B\rangle \quad ? \quad |\Psi_i\rangle = \sqrt{\frac{1}{4}}|\Psi_A\rangle + \sqrt{\frac{3}{4}}|\Psi_B\rangle$$

Experience world B



Experience world B





Do we experience amplitude?

$$|\Psi_i\rangle = \sqrt{\frac{3}{4}}|\Psi_A\rangle + \sqrt{\frac{1}{4}}|\Psi_B\rangle \quad ? \quad |\Psi_i\rangle = \sqrt{\frac{1}{4}}|\Psi_A\rangle + \sqrt{\frac{3}{4}}|\Psi_B\rangle$$

Experience world B



Experience world B



Probability



Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

'Interpreting probability' is a commonly used but misleading name for a worthy enterprise. The so-called 'interpretations of probability' would be better called 'analyses of various concepts of probability'

SEP

Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

'Interpreting probability' is a commonly used but misleading name for a worthy enterprise. The so-called 'interpretations of probability' would be better called 'analyses of various concepts of probability'

SEP

The **classical probability** of an event is simply the fraction of the total number of possibilities in which the event occurs

Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

'Interpreting probability' is a commonly used but misleading name for a worthy enterprise. The so-called 'interpretations of probability' would be better called 'analyses of various concepts of probability'

SEP

The classical probability of an event is simply the fraction of the total number of possibilities in which the event occurs

The Logical probability: the possibilities may be assigned *unequal* weights, and probabilities can be computed whatever the evidence may be, symmetrically balanced or not.

Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

'Interpreting probability' is a commonly used but misleading name for a worthy enterprise. The so-called 'interpretations of probability' would be better called 'analyses of various concepts of probability'

SEP

The classical probability of an event is simply the fraction of the total number of possibilities in which the event occurs

The Logical probability: the possibilities may be assigned *unequal* weights, and probabilities can be computed whatever the evidence may be, symmetrically balanced or not.

Frequency Interpretation: the probability of an attribute A in a finite reference class B is the relative frequency of actual occurrences of A within B.

Probability

Probability is the likelihood or chance that something is the case or will happen.

Wikipedia

'Interpreting probability' is a commonly used but misleading name for a worthy enterprise. The so-called 'interpretations of probability' would be better called 'analyses of various concepts of probability'

SEP

The classical probability of an event is simply the fraction of the total number of possibilities in which the event occurs

The Logical probability: the possibilities may be assigned *unequal* weights, and probabilities can be computed whatever the evidence may be, symmetrically balanced or not.

Frequency Interpretation: the probability of an attribute A in a finite reference class B is the relative frequency of actual occurrences of A within B.

Propensity Interpretation: disposition, or tendency of a given type of physical

Subjective probability

degrees of confidence, or credences, or “partial” beliefs of suitable agents.

Subjective probability

degrees of confidence, or credences, or “partial” beliefs of suitable agents.

The betting interpretation, de Finetti:

Your degree of belief in E is p iff p units of utility is the price at which you would buy or sell a bet that pays 1 unit of utility if E , 0 if not E .



Classical Many Worlds

Teleportation



Teleportation




Classical teleportation





Classical teleportation



































$$\Rightarrow D = \frac{1}{-}$$


Probability of something to happen – A or B?




Probability of something to happen – A or B?




Probability of something to happen – A or B?




Probability of something to happen – **A** or **B**?



Probability of something to happen – A or B?




Probability of something to happen – A or B?



Probability of something to happen – A or B?

Here: A and B

There is nothing to be ignorant about, everything is known.




Probability of something to happen – A or B?

Here: A and B

There is nothing to be ignorant about, everything is known.

No ignorance, no randomness

NO PROBABILITY



Probability of something to happen – A or B?


Here: A and B

There is nothing to be ignorant about, everything is known.

No ignorance, no randomness

NO PROBABILITY

But a good reason to bet!



The betting interpretation, de Finetti:

Your degree of belief in E is p iff p units of utility is the price at which you would buy or sell a bet that pays 1 unit of utility if E , 0 if not E .

Probability of something to happen – A or B?


Here: A and B

There is nothing to be ignorant about, everything is known.

No ignorance, no randomness

NO PROBABILITY

But a good reason to bet!



The betting interpretation, de Finetti:

Your degree of belief in E is p iff p units of utility is the price at which you would buy or sell a bet that pays 1 unit of utility if E , 0 if not E .

Measure of existence: Can it be different from 0 and 1?



$$\mu = 1$$



A



$$\mu_A = 0$$




B

$$\mu_B = 0$$


Measure of existence: Can it be different from 0 and 1?



Measure of existence: Can it be different from 0 and 1?



Measure of existence: Can it be different from 0 and 1?



Probability Problems of the MWI of QM




Probability Problems of the MWI of QM

Probability given by the number of worlds yields wrong predictions

Probability Problems of the MWI of QM

Probability given by the number of worlds yields wrong predictions




$$|\Psi\rangle = \sqrt{0.9} |\Psi_A\rangle + \sqrt{0.1} |\Psi_B\rangle$$

Probability Problems

It seems that it is good to play Russian quantum roulette.

Probability Problems

It seems that it is good to play Russian quantum roulette.



The Probability Problem

In the MWI there is no meaning for probability




The Probability Problem

In the MWI there is no meaning for probability

There is no randomness and no ignorance

Probability of what?



Probability of something to happen – A or B? In MWI - A and B


There is nothing to be ignorant about, everything, $|\Psi(t)\rangle$, is known.

The Probability Problem

In the MWI there is no meaning for probability

There is no randomness and no ignorance

Probability of what?




Probability of something to happen – A or B? In MWI - A and B

There is nothing to be ignorant about, everything, $|\Psi(t)\rangle$, is known.

Textbook collapse, GRW – randomness probability


Add an Observer

Schrödinger:




$$|\Psi\rangle \rightarrow \sqrt{0.9} |\Psi_A\rangle + \sqrt{0.1} |\Psi_B\rangle$$

Collapse




Random event: **B** and not **A**




Add an Observer

Schrödinger:




$$|\Psi\rangle \rightarrow \sqrt{0.9} |\Psi_A\rangle + \sqrt{0.1} |\Psi_B\rangle$$


Collapse



Random event: **B** and not **A**




Bohmian Mechanics



Ignorance probability: the observer does not know the initial Bohmian position

Many Worlds (Schrödinger):



Probability of what?
Ignorant of what?

MWI: Give up probability



MWI: Give up probability

Probability postulate is replaced by

Behavior Principle:

We should care about all our successive worlds in proportion to their measures of existence.

Measure of existence of world i : $\mu_i = |\langle \Psi_{UNIVERSE} | \Psi_{WORLD_i} \rangle|^2 = |\alpha_i|^2$

MWI: Give up probability

Probability postulate is replaced by


Behavior Principle:

We should care about all our successive worlds in proportion to their measures of existence.

Measure of existence of world i : $\mu_i = |\langle \Psi_{UNIVERSE} | \Psi_{WORLD_i} \rangle|^2 = |\alpha_i|^2$

Behavior Principle \Rightarrow

I should bet 1:9 Get 1 if A, pay 9 if B



MWI: Give up probability

Probability postulate is replaced by

Behavior Principle:


We should care about all our successive worlds in proportion to their measures of existence.

Measure of existence of world i : $\mu_i = |\langle \Psi_{UNIVERSE} | \Psi_{WORLD_i} \rangle|^2 = |\alpha_i|^2$

Behavior Principle \Rightarrow

I should bet 1:9 Get 1 if A, pay 9 if B

I should not play Russian quantum roulette



MWI: Give up probability

Probability postulate is replaced by

Behavior Principle:


We should care about all our successive worlds in proportion to their measures of existence.

Measure of existence of world i : $\mu_i = |\langle \Psi_{UNIVERSE} | \Psi_{WORLD_i} \rangle|^2 = |\alpha_i|^2$

Behavior Principle \Rightarrow

I should bet 1:9 Get 1 if A, pay 9 if B

I should not play Russian quantum roulette




I should bet as if I have a concept of probability because my
decedants have ignorance probability meaning




I should bet as if I have a concept of probability because my decedants have ignorance probability meaning

$\mu_i = |\alpha_i|^2$ as an ignorance probability measure








Sleeping Pill Experiment

Vaidman (1998) ISPS





Ignorance probability of the descendants A and B





What is the probability that you are in A?






A

0.9

What is the probability that you are in A?

B

What is the probability that you are in A?



A

0.9



What is the probability that you are in A?

B

0.9

What is the probability that you are in A?



Only I_A and I_B can give this answer



Since all the descendants yield the same answer we can relate it to me before the experiment. I put my bet for the descendants. They have probability. Thus, my bet is for a probabilistic event. **This is the ignorance probability meaning of the measure of**

Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a present world?





Since all the descendants yield the same answer we can relate it to me before the experiment. I put my bet for the descendants. They have probability. Thus, my bet is for a probabilistic event. **This is the ignorance probability meaning of the measure of**

existence.

Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a present world?



Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a present world?




We put “intelligent bet” according to $\mu_i = |\alpha_i|^2$ of future worlds

Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a **present** world?

We put “intelligent bet” according to $\mu_i = |\alpha_i|^2$ of **future** worlds


Should I_A behave differently than I_B because $\mu_A = 9\mu_B$?



Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a **present** world?

We put “intelligent bet” according to $\mu_i = |\alpha_i|^2$ of **future** worlds


Should I_A behave differently than I_B because $\mu_A = 9\mu_B$?



Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a present world?

We put “intelligent bet” according to $\mu_i = |\alpha_i|^2$ of future worlds


Should I_A behave differently than I_B because $\mu_A = 9\mu_B$?



Is there a physical meaning of $\mu_i = |\alpha_i|^2$ of a **present** world?

We put “intelligent bet” according to $\mu_i = |\alpha_i|^2$ of **future** worlds

Should I_A behave differently than I_B because $\mu_A = 9\mu_B$?











I am from another galaxy. Our technology is 10 million years ahead.





I am from another galaxy. Our technology is 10 million years ahead.

I like betting. Would you like to bet?




Are you ready to bet 1:1? Get
 1 if A, pay 1 if B



Are you ready to bet 1:1? Get
 1 if A, pay 1 if B

I_B should say no! The creature can always win.



I_B should say no! The creature can always win.


I_A should say yes! I will have at least 6.4 :3.6 odds to win.

I can do to the neutron what the creature can do to me




I can do to the neutron what the creature can do to me

Neutron interferometer



I can do to neutron what the creature can do to me

Neutron interferometer




MWI+Decision Theory



$$p = |\alpha_i|^2$$



MWI+Decision Theory



$$p = |\alpha_i|^2$$



There is no “real” probability in the MWI

Probability of an event is replaced by **measure of existence** of the world with this event and probability postulate is replaced by “behavior principle”

Measure of existence of future worlds can be given a meaning as an ignorance probability of the descendants of the observer.

Measure of existence of a present world has a physical meaning as a measure of ability to interfere with parallel worlds

There is no “real” probability in the MWI

Probability of an event is replaced by **measure of existence** of the world with this event and probability postulate is replaced by “behavior principle”

Measure of existence of future worlds can be given a meaning as an ignorance probability of the descendants of the observer.

Measure of existence of a present world has a physical meaning as a measure of ability to interfere with parallel worlds

Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Fair coin $1/2 : 1/2$



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Sleeping Beauty Controversy



Beauty, what is your credence for Tails?

Elga: $1/3$

Lewis: $1/2$

Tuesday



Monday



Sleeping Beauty Quantumland



Beauty, what is your credence for Tails?

MWI: $1/3$

Tuesday




Measure of existence of each world = $\frac{1}{2}$

Monday



Quantum Fair coin $\frac{1}{2} : \frac{1}{2}$



Interaction-free measurement

A. Elitzur and L. Vaidman
Found. Phys. **23**, 987 (1993) .

BOMB:

explodes when any particle “touches” it

interacts only through explosion



Interaction-free measurement

A. Elitzur and L. Vaidman
Found. Phys. **23**, 987 (1993) .

BOMB:

explodes when any particle “touches” it

interacts only through explosion



Interaction-free measurement

A. Elitzur and L. Vaidman
Found. Phys. **23**, 987 (1993) .

BOMB:

explodes when any particle “touches” it


interacts only through explosion




Interaction-free measurement




Interaction-free measurement




Interaction-free measurement



Interaction-free measurement



Interaction-free measurement



The Many-Worlds Interpretation is an approach to quantum mechanics according to which, in addition to the world we are aware of directly, there are many other similar worlds which exist in parallel at the same space and time. The existence of the other worlds makes it possible to remove randomness and action at a distance from quantum theory and thus from all physics.