

Title: From operational axioms to quantum theory - and beyond?

Date: Mar 15, 2011 04:00 PM

URL: <http://pirsa.org/11030086>

Abstract: Usually, quantum theory (QT) is introduced by giving a list of abstract mathematical postulates, including the Hilbert space formalism and the Born rule. Even though the result is mathematically sound and in perfect agreement with experiment, there remains the question of why this formalism is a natural choice, and how QT could possibly be modified in a consistent way. My talk is on recent work with Lluís Masanes, where we show that five simple operational axioms actually determine the formalism of QT uniquely. This is based to a large extent on Lucien Hardy's seminal work. We start with the framework of "general probabilistic theories", a simple, minimal mathematical description for outcome probabilities of measurements. Then, we use group theory and convex geometry to show that the state space of a bit must be a 3D (Bloch) ball, finally recovering the Hilbert space formalism. There will also be some speculation on how to find natural post-quantum theories by dropping one of the axioms.

From operational axioms to quantum theory - and beyond?

Markus Müller

Perimeter Institute for Theoretical Physics, Waterloo (Canada)

Joint work with Lluís Masanes
arXiv: 1004.1483v2



Outline


1. Motivation *Why??*
2. The Physical Setup *Assumptions?*
3. The Axioms *What do they mean?*
4. Derivation of the Hilbert space formalism *Why are qubits 3D-balls??*
5. What's beyond QT?

I. Motivation

John A. Wheeler, New York Times, Dec. 12 2000:

„Quantum physics [...] has explained the structure of atoms and molecules, [...] the behavior of semiconductors [...] and the comings and goings of particles from neutrinos to quarks.

*Successful, yes, but mysterious, too.
Why does the quantum exist?“*



I. Motivation

Testing Quantum Mechanics

STEVEN WEINBERG*

*Theory Group, Department of Physics,
University of Texas, Austin, Texas 78712*

Received March 6, 1989

This paper presents a general framework for introducing nonlinear corrections into ordinary quantum mechanics, that can serve as a guide to experiments that would be sensitive to such corrections. In the class of generalized theories described here, the equations that determine the time-dependence of the wave function are no longer linear, but are of Hamiltonian type. Also, wave functions that differ by a constant factor represent the same physical state and satisfy the same time-dependence equations. As a result, there is no difficulty in combining separated subsystems. Prescriptions are given for determining the states in which observables have definite values and for calculating the expectation values of observables for general states, but the calculation of probabilities requires detailed analysis



I. Motivation

Volume 143, number 1,2

PHYSICS LETTERS A

1 January 1990

WEINBERG'S NON-LINEAR QUANTUM MECHANICS AND SUPRALUMINAL COMMUNICATIONS

N. GISIN

Group on Applied Physics, University of Geneva, 1211 Geneva 4, Switzerland


Received 16 October 1989; accepted for publication 3 November 1989

Communicated by J.P. Vigié

We show with an example that Weinberg's general framework for introducing non-linear corrections into quantum mechanics allows for arbitrarily fast communications.

Recently Weinberg has proposed a general framework for introducing non-linear corrections into ordinary quantum mechanics [1,2]. Although we fully support his emphasis on the importance of testing quantum mechanics, we would like in this Letter to draw attention to the difficulty of modifying quantum mechanics without introducing arbitrarily fast actions at a distance. Below we show how to construct, within Weinberg's framework, an arbitrarily fast telephone line. In ordinary quantum mechanics

to know what such an apparatus is... do you know what is inside your phone?) In order to simplify we consider only a single-bit message. The two directions x and y are in the xz -plane orthogonal to the incoming flow of particles, and are 45° from each other. The way the inhomogeneous magnetic field acts on the particles is well-known from experimental evidence. After the apparatus there are two counters. For each particle one of the counters will click. This click will be amplified until all readers of



or
to
de
H₂
ph
dif
str
of

I. Motivation

Volume 143, number 1,2

PHYSICS LETTERS A

1 January 1990

WEINBERG'S NON-LINEAR QUANTUM MECHANICS AND SUPRALUMINAL COMMUNICATIONS

N. GISIN

Group on Applied Physics, University of Geneva, 1211 Geneva 4, Switzerland


Received 16 October 1989; accepted for publication 3 November 1989

Communicated by J.P. Vigié

We show with an example that Weinberg's general framework for introducing non-linear corrections into quantum mechanics allows for arbitrarily fast communications.

Recently Weinberg has proposed a general framework for introducing non-linear corrections into ordinary quantum mechanics [1,2]. Although we fully support his emphasis on the importance of testing quantum mechanics, we would like in this Letter to draw attention to the difficulty of modifying quantum mechanics without introducing arbitrarily fast actions at a distance. Below we show how to construct, within Weinberg's framework, an arbitrarily fast telephone line. In ordinary quantum mechanics

to know what such an apparatus is... do you know what is inside your phone?) In order to simplify we consider only a single-bit message. The two directions z and u are in the xz -plane orthogonal to the incoming flow of particles, and are 45° from each other. The way the inhomogeneous magnetic field acts on the particles is well-known from experimental evidence. After the apparatus there are two counters. For each particle one of the counters will click. This click will be amplified until all readers of



or
to
de
H₂
ph
dif
str
of

Our results:

- A derivation of the **full quantum formalism** from operational / physical axioms.
- Methods to construct natural consistent **modifications of quantum theory.**

Our results:


- A derivation of the **full quantum formalism** from operational / physical axioms.
- Methods to construct natural consistent **modifications of quantum theory.**

Based on:

- L. Hardy, *Quantum Theory From Five Reasonable Axioms*, 2001
- B. Dakić and Č. Brukner, *Quantum Theory and Beyond: Is Entanglement Special?*, 2009



Basic physical / operational assumptions




- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.




- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

The Axioms:

I. Local tomography

II. Reversibility

III. Subspace axiom


IV. Finite-dimensionality

V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.




The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.




Determine CPT+QT uniquely!

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - III. Subspace axiom
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





Determine CPT+QT uniquely!

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - III. Subspace axiom
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





Determine CPT+QT uniquely!

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - III. Subspace axiom
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





Determine CPT+QT uniquely!

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - III. Subspace axiom
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determine CPT+QT uniquely!



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determines QT uniquely!



The Axioms:

- I. Local tomography
- II. **Continuous** Reversib.
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determines QT uniquely!


The Axioms:

- I. Local tomography
- II. **Continuous** Reversib.
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



Determines QT uniquely!



The Axioms:

- I. Local tomography
- II. **Continuous** Reversib.
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

Determine CPT+QT uniquely!


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- ~~III. Subspace axiom~~
- IV. Finite-dimensionality
- V. No measurements forbidden

Natural theories beyond QT?


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.




Natural theories beyond QT?

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - ~~III. Subspace axiom~~
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.




Natural theories beyond QT?

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - ~~III. Subspace axiom~~
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.




Natural theories beyond QT?

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - ~~III. Subspace axiom~~
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.




Natural theories beyond QT?

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - ~~III. Subspace axiom~~
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.



Natural theories beyond QT?



The Axioms:

- I. Local tomography
- II. Reversibility
- ~~III. Subspace axiom~~
- IV. Finite-dimensionality
- V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.




Natural theories beyond QT?

- The Axioms:**
- I. Local tomography
 - II. Reversibility
 - ~~III. Subspace axiom~~
 - IV. Finite-dimensionality
 - V. No measurements forbidden


- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions

General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signaling**.



Natural theories beyond QT?

The Axioms:

- I. Local tomography
- II. Reversibility
- ~~III. Subspace axiom~~
- IV. Finite-dimensionality
- V. No measurements forbidden

- No Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

What our results are **not**:



- They offer **no resolution of the measurement problem.**
- **No new interpretation** of quantum theory.
- They are **not an easy guess**, but hard work.
- We **assume** that **probabilities** exist.
- **Only abstract QT**, no time, no space, no Hamiltonians, no mechanics!

What our results are **not**:



- They offer **no resolution** of the measurement problem.
- **No new interpretation** of quantum theory.
- They are **not an easy guess**, but hard work.
- We **assume** that **probabilities** exist.
- **Only abstract QT**, no time, no space, no Hamiltonians, no mechanics!

Statistical Mechanics =



Quantum Mechanics =



What our results are **not**:



- They offer **no resolution of the measurement problem.**
- **No new interpretation** of quantum theory.
- They are **not an easy guess**, but hard work.
- We **assume** that **probabilities** exist.
- **Only abstract QT**, no time, no space, no Hamiltonians, no mechanics!


Statistical Mechanics =




Quantum Mechanics =



2. The Physical Setup




2. The Physical Setup



(Unnormalized) state $\omega =$
list of all probabilities of „yes“-
outcomes of all possible measurements.

$$\omega = (p_1, p_2, p_3, p_4, p_5, p_6, \dots)$$

2. The Physical Setup



(Unnormalized) state $\omega =$
 list of all probabilities of „yes“-
 outcomes of all possible measurements.


$$\omega = (p_1, p_2, p_3, p_4, p_5, p_6, \dots)$$

Sometimes, all ω span a finite-dimensional subspace. Ex.: Qubit

- What's the prob. of „spin up“ in X-direction?
- What's the prob. of „spin up“ in Y-direction?
- What's the prob. of „spin up“ in Z-direction?
- Is the particle there at all?

$$\left. \begin{array}{l} \text{• What's the prob. of „spin up“ in X-direction?} \\ \text{• What's the prob. of „spin up“ in Y-direction?} \\ \text{• What's the prob. of „spin up“ in Z-direction?} \\ \text{• Is the particle there at all?} \end{array} \right\} \omega = (p_1, p_2, p_3, p_4) \in \mathbb{R}^4$$

2. The Physical Setup



(Unnormalized) state $\omega =$
list of all probabilities of „yes“-
outcomes of all possible measurements.

$$\omega = (p_1, p_2, p_3, p_4, p_5, p_6, \dots)$$


Sometimes, all ω span a finite-dimensional subspace. Ex.: Qubit

- What's the prob. of „spin up“ in X-direction?
- What's the prob. of „spin up“ in Y-direction?
- What's the prob. of „spin up“ in Z-direction?
- Is the particle there at all?

$$\left. \begin{array}{l} \text{• What's the prob. of „spin up“ in X-direction?} \\ \text{• What's the prob. of „spin up“ in Y-direction?} \\ \text{• What's the prob. of „spin up“ in Z-direction?} \\ \text{• Is the particle there at all?} \end{array} \right\} \omega = (p_1, p_2, p_3, p_4) \in \mathbb{R}^4$$


Axiom IV: All state spaces are finite-dimensional.

2. The Physical Setup




Prepare state ω or φ with prob. $1/2$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$

2. The Physical Setup




Prepare state ω or φ with prob. $\frac{1}{2}$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$

(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.



2. The Physical Setup




Prepare state ω or φ with prob. $1/2$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$


here $E(\psi) = 1$

(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.

Outcome probabilities are linear functionals E
with $0 \leq E(\psi) \leq 1$ for all ψ .



2. The Physical Setup




Prepare state ω or φ with prob. $\frac{1}{2}$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$

here $E(\psi) = 1$



(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.

Outcome probabilities are linear functionals E
with $0 \leq E(\psi) \leq 1$ for all ψ .




Measurements are (E_1, E_2, \dots, E_k)

2. The Physical Setup





Prepare state ω or φ with prob. $\frac{1}{2}$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$




(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.

Outcome probabilities are linear functionals E
with $0 \leq E(\psi) \leq 1$ for all ψ .

2. The Physical Setup




Prepare state ω or φ with prob. $\frac{1}{2}$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$



(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.




Outcome probabilities are linear functionals E with $0 \leq E(\psi) \leq 1$ for all ψ .

2. The Physical Setup




Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.

Enforces some **symmetry** in state space:




2. The Physical Setup




Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.

Enforces some **symmetry** in state space:




2. The Physical Setup




Transformations T map (unnormalized) states to states, and are linear.

Reversible transformations form a group \mathcal{G}_A . In quantum theory: $\rho \mapsto U\rho U^\dagger$

They are symmetries of state space: $T(\Omega_A) = \Omega_A$



2. The Physical Setup




Prepare state ω or φ with prob. $1/2$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$

here $E(\psi) = 1$



(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.

Outcome probabilities are linear functionals E
with $0 \leq E(\psi) \leq 1$ for all ψ .




Measurements are (E_1, E_2, \dots, E_k)

2. The Physical Setup





Prepare state ω or φ with prob. $\frac{1}{2}$. Result: $\frac{1}{2}\omega + \frac{1}{2}\varphi$




(Normalized) state spaces are **convex sets**.
Extremal points are **pure states**, others **mixed**.

Outcome probabilities are linear functionals E
with $0 \leq E(\psi) \leq 1$ for all ψ .


2. The Physical Setup




2. The Physical Setup



Transformations T map (unnormalized) states to states, and are linear.




2. The Physical Setup




Transformations T map (unnormalized) states to states, and are linear.

Reversible transformations form a group \mathcal{G}_A . In quantum theory: $\rho \mapsto U\rho U^\dagger$

They are symmetries of state space: $T(\Omega_A) = \Omega_A$




2. The Physical Setup




Transformations T map (unnormalized) states to states, and are linear.

Reversible transformations form a group \mathcal{G}_A . In quantum theory: $\rho \mapsto U\rho U^\dagger$


They are symmetries of state space: $T(\Omega_A) = \Omega_A$



2. The Physical Setup




Not all symmetries have to be in \mathcal{G}_A .




Qubit: Ω_A is the 3D unit ball,
 $\mathcal{G}_A = SO(3)$ (no reflections!)

2. The Physical Setup




Not all symmetries have to be in \mathcal{G}_A .



Qubit: Ω_A is the 3D unit ball,
 $\mathcal{G}_A = SO(3)$ (no reflections!)


\Rightarrow A **system** is a pair $(\Omega_A, \mathcal{G}_A)$.

2. The Physical Setup



Axiom II (Reversibility):
 If φ and ω are **pure**, then
 there is a reversible T
 with $T\varphi = \omega$.


Not all symmetries have to be in \mathcal{G}_A .



Qubit: Ω_A is the 3D unit ball,
 $\mathcal{G}_A = SO(3)$ (no reflections!)

\Rightarrow A **system** is a pair $(\Omega_A, \mathcal{G}_A)$.


2. The Physical Setup



Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.


Enforces some **symmetry** in state space:

2. The Physical Setup




Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.

Enforces some **symmetry** in state space:




2. The Physical Setup




Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.

Enforces some **symmetry** in state space:





2. The Physical Setup




Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.

Enforces some **symmetry** in state space:






2. The Physical Setup




Axiom II (Reversibility):
 If φ and ω are **pure**, then
 there is a reversible T
 with $T\varphi = \omega$.

Enforces some **symmetry** in state space:






2. The Physical Setup





Axiom II (Reversibility):
 If φ and ω are **pure**, then
 there is a reversible T
 with $T\varphi = \omega$.


Enforces some **symmetry** in state space:



2. The Physical Setup






2. The Physical Setup





Axiom II (Reversibility):
If φ and ω are **pure**, then
there is a reversible T
with $T\varphi = \omega$.


Enforces some **symmetry** in state space:




2. The Physical Setup





2. The Physical Setup





state on AB:
correlations





2. The Physical Setup



state on AB:
correlations





2. The Physical Setup




state on AB:
correlations


No-signalling condition:
Alice's probabilities **do not depend** on
Bob's choice of measurement.



2. The Physical Setup





2. The Physical Setup





Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A,B.

2. The Physical Setup




state on AB:
correlations


No-signalling condition:
Alice's probabilities **do not depend** on
Bob's choice of measurement.



2. The Physical Setup



2. The Physical Setup



Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A,B.

2. The Physical Setup



A

X



Y



B


X



Y




2. The Physical Setup



Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A,B.

2. The Physical Setup



Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A, B .

= „Local tomography“:
No non-local measurements
necessary.

2. The Physical Setup



A



B

X




Y



X


Y



= „Local tomography“:
No non-local measurements necessary.



2. The Physical Setup



Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A,B.

= „Local tomography“:
No non-local measurements
necessary.

2. The Physical Setup



A

X



Y



B

X



Y




Axiom I: States on AB are uniquely determined by correlations of local measurements on A,B.

= „Local tomography“:
No non-local measurements necessary.

Global state space $\Omega_{AB} \subset A \otimes B$
but not uniquely fixed!

2. The Physical Setup



Axiom I: States on AB
are uniquely determined
by correlations of local
measurements on A,B.

= „Local tomography“:
No non-local measurements
necessary.



2. The Physical Setup



A



B




Axiom I: States on AB are uniquely determined by correlations of local measurements on A,B.

= „Local tomography“:
No non-local measurements necessary.

Global state space $\Omega_{AB} \subset A \otimes B$
but not uniquely fixed!

Basic physical / operational assumptions




- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.




- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.





- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

The Axioms:

I. Local tomography ✓

II. Reversibility ✓

III. Subspace axiom



IV. Finite-dimensionality ✓

V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom ✓ ←
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

The Axioms:

I. Local tomography ✓

II. Reversibility ✓


III. Subspace axiom ←

IV. Finite-dimensionality ✓

V. No measurements forbidden ✓

3. The Subspace Axiom


Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0


3. The Subspace Axiom

Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0


=



2-level system.

3. The Subspace Axiom


Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0

QT: $\rho^{(3)} = \begin{pmatrix} \bullet & \bullet & 0 \\ \bullet & \bullet & 0 \\ 0 & 0 & 0 \end{pmatrix} \longrightarrow \rho^{(2)} = \begin{pmatrix} \bullet & \bullet \\ \bullet & \bullet \end{pmatrix}$


CPT: $P^{(3)} = (P_1, P_2, 0) \longrightarrow P^{(2)} = (P_1, P_2)$



2-level system.

3. The Subspace Axiom


Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0

QT: $\rho^{(3)} = \begin{pmatrix} \bullet & \bullet & 0 \\ \bullet & \bullet & 0 \\ 0 & 0 & 0 \end{pmatrix} \longrightarrow \rho^{(2)} = \begin{pmatrix} \bullet & \bullet \\ \bullet & \bullet \end{pmatrix}$

CPT: $P^{(3)} = (P_1, P_2, 0) \longrightarrow P^{(2)} = (P_1, P_2)$




2-level system.

Otherwise, physics would be affected




3. The Subspace Axiom

Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0

=



2-level system.

QT: $\rho^{(3)} = \begin{pmatrix} \bullet & \bullet & 0 \\ \bullet & \bullet & 0 \\ 0 & 0 & 0 \end{pmatrix} \longrightarrow \rho^{(2)} = \begin{pmatrix} \bullet & \bullet \\ \bullet & \bullet \end{pmatrix}$


CPT: $P^{(3)} = (P_1, P_2, 0) \longrightarrow P^{(2)} = (P_1, P_2)$



Otherwise, physics would be affected

3. The Subspace Axiom


Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0

QT: $\rho^{(3)} = \begin{pmatrix} \bullet & \bullet & 0 \\ \bullet & \bullet & 0 \\ 0 & 0 & 0 \end{pmatrix} \longrightarrow \rho^{(2)} = \begin{pmatrix} \bullet & \bullet \\ \bullet & \bullet \end{pmatrix}$

CPT: $P^{(3)} = (P_1, P_2, 0) \longrightarrow P^{(2)} = (P_1, P_2)$



2-level system.

Otherwise, physics would be affected



3. The Subspace Axiom

Axiom III: Let Ω_N and Ω_{N-1} be systems with capacities N and $N-1$. If (E_1, \dots, E_N) is a complete measurement on Ω_N , then the set of states ω with $E_N(\omega) = 0$ is equivalent to Ω_{N-1} .

3. The Subspace Axiom

Axiom III: Let Ω_N and Ω_{N-1} be systems with capacities N and $N-1$. If (E_1, \dots, E_N) is a complete measurement on Ω_N , then the set of states ω with $E_N(\omega) = 0$ is equivalent to Ω_{N-1} .

Capacity N of Ω = maximal # of perfectly distinguishable states.

$(\omega_1, \dots, \omega_n)$ perfectly distinguishable, if there is a measurement (E_1, \dots, E_n) such that $E_i(\omega_j) = \delta_{ij}$.

3. The Subspace Axiom

Axiom III: Let Ω_N and Ω_{N-1} be systems with capacities N and $N-1$. If (E_1, \dots, E_N) is a **complete** measurement on Ω_N , then the set of states ω with $E_N(\omega) = 0$ is equivalent to Ω_{N-1} .

Capacity N of Ω = maximal # of perfectly distinguishable states.

$(\omega_1, \dots, \omega_n)$ **perfectly distinguishable**, if there is a measurement (E_1, \dots, E_n) such that $E_i(\omega_j) = \delta_{ij}$.

If $n = N$ then (E_1, \dots, E_n) is **complete**.

3. The Subspace Axiom


Axiom III: Let Ω_N and Ω_{N-1} be systems with capacities N and $N-1$. If (E_1, \dots, E_N) is a complete measurement on Ω_N , then the set of states ω with $E_N(\omega) = 0$ is **equivalent** to Ω_{N-1} .

Capacity N of Ω = maximal # of perfectly distinguishable states.

$(\omega_1, \dots, \omega_n)$ perfectly distinguishable, if there is a measurement (E_1, \dots, E_n) such that $E_i(\omega_j) = \delta_{ij}$.

If $n = N$ then (E_1, \dots, E_n) is complete.

Equivalent = same state spaces up to a linear map (incl. transformations!)



4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:



capacity 2 (bit)

3. The Subspace Axiom


Axiom III: Let Ω_N and Ω_{N-1} be systems with capacities N and $N-1$. If (E_1, \dots, E_N) is a complete measurement on Ω_N , then the set of states ω with $E_N(\omega) = 0$ is **equivalent** to Ω_{N-1} .

Capacity N of Ω = maximal # of perfectly distinguishable states.

$(\omega_1, \dots, \omega_n)$ perfectly distinguishable, if there is a measurement (E_1, \dots, E_n) such that $E_i(\omega_j) = \delta_{ij}$.

If $n = N$ then (E_1, \dots, E_n) is complete.

Equivalent = same state spaces up to a linear map (incl. transformations!)



4. Derivation of the Hilbert space formalism


Why a **bit** is described by a **ball**:



capacity 2 (bit)


4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:



4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:




$(I-E, E)$ is complete measurement.

$$\Rightarrow \{\omega : E(\omega) = 0\} = \{\omega_0\} \sim \Omega_1.$$

4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:




$(I-E, E)$ is complete measurement.

$$\Rightarrow \{\omega : E(\omega) = 0\} = \{\omega_0\} \sim \Omega_1.$$

$\Rightarrow \Omega_1$ contains a **single** state.

4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:




$(1-E, E)$ is complete measurement.

$$\Rightarrow \{\omega : E(\omega) = 0\} = \{\omega_0\} \sim \Omega_1.$$

$\Rightarrow \Omega_1$ contains a **single** state.


if there is a **face**, similar reasoning:

Ω_1 contains ∞ many states. **X**



4. Derivation of the Hilbert space formalism

Why a **bit** is described by a **ball**:




$(1-E, E)$ is complete measurement.

$$\Rightarrow \{\omega : E(\omega) = 0\} = \{\omega_0\} \sim \Omega_1.$$

$\Rightarrow \Omega_1$ contains a **single** state.

if there is a **face**, similar reasoning:
 Ω_1 contains ∞ many states. **X**



\Rightarrow no faces: 

By **group rep. theory**, Ω_2 equivalent to a ball.

4. Derivation of the Hilbert space formalism

Prove step by step (using the axioms):

4. Derivation of the Hilbert space formalism

Prove step by step (using the axioms):

- There is **maximally mixed state** μ with $T\mu = \mu$ for all T ,
- $\mu_{AB} = \mu_A \otimes \mu_B$,

4. Derivation of the Hilbert space formalism

Prove step by step (using the axioms):

- There is **maximally mixed state** μ with $T\mu = \mu$ for all T ,
- $\mu_{AB} = \mu_A \otimes \mu_B$,
- There are N pure distinguishable states $\omega_1, \dots, \omega_N$ with

$$\mu = \frac{1}{N} \sum_{i=1}^N \omega_i,$$

- capacity $N_{AB} = N_A N_B$ and bit ball dimension

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

4. Derivation of the Hilbert space formalism

Prove step by step (using the axioms):

- There is **maximally mixed state** μ with $T\mu = \mu$ for all T ,
- $\mu_{AB} = \mu_A \otimes \mu_B$,
- There are N pure distinguishable states $\omega_1, \dots, \omega_N$ with

$$\mu = \frac{1}{N} \sum_{i=1}^N \omega_i,$$

- capacity $N_{AB} = N_A N_B$ and bit ball dimension

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

4. Derivation of the Hilbert space formalism


Prove step by step (using the axioms):

- There is **maximally mixed state** μ with $T\mu = \mu$ for all T ,
- $\mu_{AB} = \mu_A \otimes \mu_B$,
- There are N pure distinguishable states $\omega_1, \dots, \omega_N$ with


$$\mu = \frac{1}{N} \sum_{i=1}^N \omega_i,$$

- capacity $N_{AB} = N_A N_B$ and bit ball dimension


$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

$\Omega_2 =$  0

If $\dim(\Omega_2) = 1$ then the theory is **CPT** (easy):

$\Omega_N =$  $\mathcal{G}_N =$ permutation group.

4. Derivation of the Hilbert space formalism




Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$


CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :

- if **d =even**, then many possibilities (like $SU(d/2)$),
- if **d =odd and $d \neq 7$** : only $SO(d)$,
- if **$d=7$** : $SO(7)$ and Lie group G_2 .

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$


CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :

- ~~if d =even, then many possibilities (like $SU(d/2)$),~~
- if d =odd and $d \neq 7$: only $SO(d)$,
- if $d=7$: $SO(7)$ and Lie group G_2 .

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :


- ~~if d -even, then many possibilities (like $SU(d/2)$),~~
- if d -odd and $d \neq 7$: only $SO(d)$,
- if $d=7$: $SO(7)$ and Lie group G_2 .

Two bits:



⊗

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :


- ~~if d =even, then many possibilities (like $SU(d/2)$),~~
- if d =odd and $d \neq 7$: only $SO(d)$,
- if $d=7$: $SO(7)$ and Lie group \mathcal{G}_2 .

Two bits:



Local transformations
contain $\mathcal{G}_2 \otimes \mathcal{G}_2$.

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

CPT

By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :

- ~~if d -even, then many possibilities (like $SU(d/2)$),~~
- if d -odd and $d \neq 7$: only $SO(d)$,
- if $d=7$: $SO(7)$ and Lie group G_2 .


Two bits:



$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.


4. Derivation of the Hilbert space formalism

Two bits:



$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.


4. Derivation of the Hilbert space formalism



$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

4. Derivation of the Hilbert space formalism




$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

4. Derivation of the Hilbert space formalism




$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

4. Derivation of the Hilbert space formalism




$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

Take-home message: Bloch ball 3-dimensional because $SO(d-1)$ is reducible only for $d=3$.

4. Derivation of the Hilbert space formalism



$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

Take-home message: Bloch ball 3-dimensional because $SO(d-1)$ is reducible only for $d=3$.


4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

4. Derivation of the Hilbert space formalism



$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

Take-home message: Bloch ball 3-dimensional because $SO(d-1)$ is reducible only for $d=3$.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

4. Derivation of the Hilbert space formalism

Map 3-vectors to Hermitian matrices: $L(\omega) := \frac{1}{2} \left(\mathbf{1} + \sum_{i=1}^3 \omega_i \sigma_i \right)$

- Facts on universal quantum computation,
- Wigner's theorem
- some other tricks

prove:

Theorem: Every theory satisfying Axioms I-V (rather than CPT) is equivalent to $(\Omega_N, \mathcal{G}_N)$, where

- Ω_N are the density matrices on \mathbb{C}^N ,
- \mathcal{G}_N is the group of unitaries, acting by conjugation,
- the measurements are exactly the POVMs.

5. What's beyond quantum theory?

The Axioms:

I. Local tomography

II. Reversibility

III. Subspace axiom

IV. Finite-dimensionality

V. No measurements forbidden

5. What's beyond quantum theory?

The Axioms:

I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

V. No measurements forbidden

5. What's beyond quantum theory?

- Ll. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .

The Axioms:

I. Local tomography

II. Reversibility



~~III. Subspace axiom~~

IV. Finite-dimensionality

V. No measurements forbidden



5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:





5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:





5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:





5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:





5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:



5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:



5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**


QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:
I. Local tomography
II. Reversibility

~~III. Subspace axiom~~
 IV. Finite-dimensionality
~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**


QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:
I. Local tomography
II. Reversibility

~~III. Subspace axiom~~
 IV. Finite-dimensionality
~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure**.

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- LI. Masanes, D. Perez-Garcia (work in progress):
If local state spaces are **balls of dim. d** , then
entanglement & continuous reversibility **only if $d=3$** .
- MM, O. Dahlsten, V. Vedral (work in progress):
Properties of possible theories in Axioms I, II, IV.
Random pure state ω^{AB} , expected **purity of reduced state**:

The Axioms:


I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~



$$\mathbb{E}_\omega \mathcal{P}(\omega^A) = \frac{N_A N_B - 1}{N_A - 1} \cdot \frac{K_A - 1}{K_A K_B - 1}$$

CPT: $K=N$, hence **globally pure states are locally pure.**

QT: $K=N^2$ typically **highly entangled**

5. What's beyond quantum theory?

- J. Oppenheim, MM, O. Dahlsten (work in progress):
Decoupling in theories that satisfy Axioms I, II, IV.

The Axioms:

I. Local tomography

II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

5. What's beyond quantum theory?

- J. Oppenheim, MM, O. Dahlsten (work in progress):
Decoupling in theories that satisfy Axioms I, II, IV.

Black holes as mirrors: quantum information in random subsystems

Patrick Hayden

School of Computer Science, McGill University, Montreal, Quebec, H3A 2A7, Canada

John Preskill

Institute for Quantum Information, California Institute of Tech

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



5. What's beyond quantum theory?

- J. Oppenheim, MM, O. Dahlsten (work in progress):
Decoupling in theories that satisfy Axioms I, II, IV.

Black holes as mirrors: quantum information in random subsystems

Patrick Hayden

School of Computer Science, McGill University, Montreal, Quebec, H3A 2A7, Canada

John Preskill

Institute for Quantum Information, California Institute of Tech

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~

IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



Thank you!

5. What's beyond quantum theory?

- J. Oppenheim, MM, O. Dahlsten (work in progress):
Decoupling in theories that satisfy Axioms I, II, IV.

Black holes as mirrors: quantum information in random subsystems

Patrick Hayden

School of Computer Science, McGill University, Montreal, Quebec, H3A 2A7, Canada

John Preskill

Institute for Quantum Information, California Institute of Tech

The Axioms:

I. Local tomography


II. Reversibility

~~III. Subspace axiom~~


IV. Finite-dimensionality

~~V. No measurements forbidden~~

Pirsa: 11030086



4. Derivation of the Hilbert space formalism




$d \neq 7$: Local transformations contain $SO(d) \otimes SO(d)$.

Consider face („subspace“) generated by $\omega_0 \otimes \omega_0$ and $\omega_1 \otimes \omega_1$ (again, a bit!)

- Stabilized by $SO(d-1) \otimes SO(d-1)$.
- Counting dimensions with group rep. theory:
if local transformations irreducible then orbit too large.
- But $SO(d-1)$ is complex-reducible iff $d=3$!

4. Derivation of the Hilbert space formalism



Generalized bit Ω_2

$$\dim(\Omega_2) = 2^r - 1 \in \{1, 3, 7, 15, 31, \dots\}.$$

CPT


By reversibility axiom, \mathcal{G}_2 is **transitive** on the sphere.

Onishchik '63: Compact connected **transitive** groups on S^{d-1} :

- if **d=even**, then many possibilities (like $SU(d/2)$),
- if **d=odd and $d \neq 7$** : only $SO(d)$,
- if **d=7**: $SO(7)$ and Lie group G_2 .

3. The Subspace Axiom


Some 3-level system:



Impossible to put system in 3rd level
 \Rightarrow find particle there with probab. 0

QT: $\rho^{(3)} = \begin{pmatrix} \bullet & \bullet & 0 \\ \bullet & \bullet & 0 \\ 0 & 0 & 0 \end{pmatrix} \longrightarrow \rho^{(2)} = \begin{pmatrix} \bullet & \bullet \\ \bullet & \bullet \end{pmatrix}$

CPT: $P^{(3)} = (P_1, P_2, 0) \longrightarrow P^{(2)} = (P_1, P_2)$





2-level system.


Basic physical / operational assumptions



General probabilistic theories




- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

Basic physical / operational assumptions




- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography ✓
- II. Reversibility ✓
- III. Subspace axiom ←
- IV. Finite-dimensionality ✓
- V. No measurements forbidden ✓


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:



- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:


- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden

- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

US:

$$(\Omega_A, g_A)$$

other:

$$(\Omega_A,$$

US:

$$(\Omega_A, g_A)$$

U:

$$g_A,$$

US:

$$(\Omega_A, g_A)$$


other:

$$(\Omega_A, M_A)$$


Basic physical / operational assumptions



General probabilistic theories



- States, transformations, and measurements with **outcome probabilities**.
- Combined systems: **no-signalling**.



- **No** Hilbert spaces, complex numbers,...
- State spaces: **arbitrary convex sets**.
- Many ways to **combine systems**.

The Axioms:

- I. Local tomography
- II. Reversibility
- III. Subspace axiom
- IV. Finite-dimensionality
- V. No measurements forbidden