


Title: Introduction to Tensor Network Algorithms - Lecture 4

Date: Jun 17, 2011 01:30 PM

URL: <http://pirsa.org/11060007>


Abstract: Tensor network algorithms are a powerful technique for the study of quantum systems in condensed matter physics. In this short series of lectures, I will present an applied perspective on tensor network algorithms. Topics to be covered will include motivation and methodology, graphical notation, Matrix Product States (MPS) and the Time-Evolving Block Decimation (TEBD) algorithm, identifying the capabilities and limitations of tensor network algorithms, the Multi-scale Entanglement Renormalisation Ansatz (MERA) and the study of systems at criticality, and the exploitation of global internal symmetries. The intent of this lecture series is to provide attendees with the necessary theoretical background to be able to understand and implement the more common tensor network algorithms.



Introduction to Computer Networks IV


Errata:

Chi



Introduction to Sensor Networks IV

Errata:




Introduction

Tensor Networks IV


Errata:


$\langle h \rangle$





Introduction to Tensor Networks IV


Errata:







































SI MERA

Critical points
Product States




SI MERA

Critical points

Product States

Topological models




MERA

cal points

object States

real models,



MERA

all points
inert states

biological models,




SI MERA

Critical points

Product States

Topological models




SI MERA

Critical points

Product States

Topological models





$$x' \rightarrow x$$
A diagram consisting of two states, x' and x , represented by horizontal bars. An arrow points from x' to x . Below the bars, there are two sets of arrows pointing towards each other, suggesting a process of entanglement or a unitary transformation between the two states.


SI MERA



Critical points

Product State

Topological model








SI MERA

Critical points

Product States

Topological models




SI MERA

Critical points

Product States

Topological models



SI MERA

Critical points


Product States

Topological models

Relevant ↑

Marginal ↔

Irrelevant ↓



SI MERA

Critical points


Product States

Topological models

Relevant ↑

Marginal ↔

Irrelevant ↓




SI MERA

Critical points

Product States


Topological models



Relevant ↑

Marginal ↔

Irrelevant ↓



SI MERA

Critical points



Product States

Topological models

Relevant ↑

Marginal ↔

Irrelevant ↓



SI MERA

Critical points


Product States

Topological models

Relevant ↑

Marginal ↔

Irrelevant ↓



SI MERA

Critical points


Product States

Topological models

Relevant ↑

Marginal ↔

Irrelevant ↓



SI MERA

Critical points


Product States


Topological models


Relevant ↑



Marginal ↔


Irrelevant ↓














































$$\begin{aligned} & \chi^5 \quad \chi^{10} \\ & 2\chi^8 \\ & /3 \end{aligned}$$

AMERICAN
UNIVERSITY

$$\begin{array}{l} \chi^5 \quad \chi^{10} \\ -\chi^8 \\ \hline \end{array}$$









$$x^5$$

$$x^8$$

$$/3$$






$$x^5$$

$$\sim x^8$$

$$/3$$






$$x^5$$


$$\sim x^8$$


$$/3$$






$$\begin{array}{c} \chi^8 \\ \chi^8 \\ \beta \end{array}$$






$$\begin{aligned} & \chi^8 \quad \chi^{10} \\ & \sim \chi^8 \\ & \beta = 0_{\text{new}} \end{aligned}$$








$$\begin{matrix} \mathcal{S}_\tau \\ \mathcal{S}_{\tau-1} \end{matrix} \xrightarrow{\quad} \mathcal{S}_\tau$$


s_T
 s_{T-1}




























8
16
16
2
 x_0


x_5































































$$\begin{array}{c|c|c} \alpha & EV & SD \\ \hline \phi_\alpha & \lambda_\alpha & -\log_2 \lambda_\alpha \end{array} \quad \lambda_\alpha = 3^{-\Delta_\alpha}$$











































































































































J. Math. Phys. 26, 601, 1985 M. Suzuki

8'

J. Math. Phys. 26, 601, 1985 M. Suzuki

G. Evando, et al., Phys. Rev. B 79,

J. Math. Phys. 26, 601, 1985 M. Suzuki

G. Evinoky, G. Vidal Phys. Rev. B 79, 144108


J. Math. Phys. 26, 601, 1985 M. Schröder

G. Evinard, G. Vidal Phys. Rev. B 79, 144108 arXiv:0707.1454

J. Math. Phys. 26, 601, 1985

M. Šeba

G. Ercal, G. Vidal Phys. Rev. B 79, 144108 arXiv:0707.1454



Pfeifer, Evenbly, Vidal Phys Rev A 79, 040301

Invariant



P

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv:

Infrared



P

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv:

Infrared



T

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv: 0810.0580

Infrared ↓ ↑

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv: 0810.0580
Evenly, Pfeifer, Pico, Izquierdo, Tagliacozzo, McCulloch, Vidal

Infrared

↓

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv: 0810.0580

Evenly, Pfeifer, Pico, Izquierdo, Tagliacozzo, McCulloch, Vidal
Phys Rev B 82, 161107, 2010

arXiv:

Infrared \downarrow Γ

Pfeifer, Evenly, Vidal Phys Rev A 79, 040301, 2009
arXiv: 0810.0580
Evenly, Pfeifer, Pico, Izquierdo, Tagliacozzo, McCulloch, Vidal
Phys Rev B 82, 161107, 2010
arXiv: 0912.1642