

Title: Spin-polarized low-density neutron matter

Date: Jun 20, 2011 11:40 AM


URL: <http://pirsa.org/11060016>

Abstract: Low-density neutron matter is relevant to the study of neutron-rich nuclei and neutron star crusts. Unpolarized neutron matter has been studied extensively over a number of decades, while experimental guidance has recently started to emerge from the field of ultracold atomic gases. We study population-imbalanced neutron matter (possibly relevant to magnetars and to density functionals of nuclei) applying a Quantum Monte Carlo method that has proven successful in the field of cold atoms. We report on the first ab initio simulations of superfluid low-density polarized neutron matter. For systems with small imbalances, we find a linear dependence of the energy on the polarization, the proportionality coefficient changing with the density. We also present results for the momentum and pair distributions of the two fermionic components.

# Neutron star inner crust

## Low-density neutron matter in ion lattice


- Pairing significant: singlet in matter, possibly triplet in nuclei
- Nuclear toy problem of physical relevance



# Neutron star inner crust

## Low-density neutron matter in ion lattice

- Pairing significant: singlet in matter, possibly triplet in nuclei
- Nuclear toy problem of physical relevance



### Properties

- Scattering length ( $a$ )
- Effective range ( $r_e$ )
- Density ( $\rho$ ) or ( $k_F$ )

### “Observables”

- Energy ( $E/E_{FG}$ )
- Pairing gap ( $\Delta/E_F$ )

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:

E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).

- Young neutron star cooling curves depend on the magnitude of the gap:

D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).

- Superfluid-phonon heat conduction mechanism viable:

D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).

- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:

N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:

E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).

- Young neutron star cooling curves depend on the magnitude of the gap:

D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).

- Superfluid-phonon heat conduction mechanism viable:

D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).

- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:

N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:

E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).

- Young neutron star cooling curves depend on the magnitude of the gap:

D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).

- Superfluid-phonon heat conduction mechanism viable:

D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).

- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:

N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

No Signal

VGA-1

No Signal

VGA-1

No Signal

VGA-1

No Signal

VGA-1

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:

E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).

- Young neutron star cooling curves depend on the magnitude of the gap:

D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).

- Superfluid-phonon heat conduction mechanism viable:

D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).

- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:


N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).

# The meaning of it all

- Negligible contribution to specific heat consistent with cooling of transients:  
E. F. Brown and A. Cumming, *Astrophys. J.* **698**, 1020 (2009).
- Young neutron star cooling curves depend on the magnitude of the gap:  
D. Page, J. M. Lattimer, M. Prakash, A. W. Steiner, *Astrophys. J.* **707**, 1131 (2009).
- Superfluid-phonon heat conduction mechanism viable:  
D. Aguilera, V. Cirigliano, J. Pons, S. Reddy, R. Sharma, *Phys. Rev. Lett.* **102**, 091101 (2009).
- Constraints to Skyrme-HFB calculations of neutron-rich nuclei:  
N. Chamel, S. Goriely, and J. M. Pearson, *Nucl. Phys. A* **812**, 27 (2008).


# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment  $\rightarrow$  no consensus




# $^1S_0$ neutron matter pairing gap

No experiment → no consensus



# $^1S_0$ neutron matter pairing gap

No experiment → no consensus



# Cold atoms to the rescue

*Theoretical many-body problem formulated by  
George Bertsch more than 10 years ago:*

"What is the ground-state energy of a gas  
of spin-1/2 particles with infinite scattering  
length, zero range interaction?"

$$E = \xi E_{FG} \quad E_{FG} = \frac{3}{5} N \frac{\hbar^2 k_F^2}{2m}$$


# Cold atoms to the rescue

*Theoretical many-body problem formulated by  
George Bertsch more than 10 years ago:*

"What is the ground-state energy of a gas  
of spin-1/2 particles with infinite scattering  
length, zero range interaction?"


$$E = \xi E_{FG} \quad E_{FG} = \frac{3}{5} N \frac{\hbar^2 k_F^2}{2m}$$

**Now within *direct* experimental reach!**



# Hamiltonian: unity in diversity

$$\mathcal{H} = -\frac{\hbar^2}{2m} \sum_{k=1}^N \nabla_k^2 + \sum_{i < j'} v(r_{ij'})$$



Neutron matter

$^1S_0$  channel of AV18 – later AV4  
060076

$a = -18.5$  fm,  $r = 2.7$  fm

Cold atoms

modified Pöschl-Teller potential

$a = \text{tunable}$ ,  $r = \text{tunable/infinitesimal}$

# What do we know for sure?

## Weak Coupling

Equation of state:  $\frac{E}{E_{FG}} = 1 + \frac{10}{9\pi}k_F a + \frac{4}{21\pi^2}(11 - 2\ln 2)(k_F a)^2$

Pairing gap:  $\frac{\Delta}{E_F} = \frac{1}{(4e)^{1/3}}\Delta_{\text{BCS}}$

# What do we know for sure?

## Weak Coupling

Equation of state:  $\frac{E}{E_{FG}} = 1 + \frac{10}{9\pi} k_F a + \frac{4}{21\pi^2} (11 - 2 \ln 2) (k_F a)^2$

Pairing gap:  $\frac{\Delta}{E_F} = \frac{1}{(4e)^{1/3}} \Delta_{\text{BCS}}$

## Strong Coupling

Mean-field BCS is easy but unreliable:


$$\Delta(\mathbf{k}) = - \sum_{\mathbf{k}'} \langle \mathbf{k} | V | \mathbf{k}' \rangle \frac{\Delta(\mathbf{k}')}{2\sqrt{\xi(\mathbf{k})^2 + \Delta(\mathbf{k})^2}}$$

*Ab initio GFMC* is difficult but accurate:


$$\Psi_V = \prod_{i < j} f(r_{ij}) \mathcal{A}[\prod \phi(r_{ij})]$$

## Equal Populations

### Equation of state




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results



- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity




# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity

# Equations of state: results




- Results identical at low density
- Range important at high density
- Duke and ENS experiments at unitarity


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement

# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement

# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement


# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement




# Equations of state: comparison



- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement



# Equations of state: comparison




- Lowest densities on the market; agreement with Lee-Yang trend
- At higher densities all calculations are in qualitative agreement

## Odd-even staggering

### Pairing gap




# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity

# Pairing gaps: results




- Results identical at low density
- Range important at high density
- Two independent MIT experiments at unitarity


# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison



- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?


# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




# Pairing gaps: comparison




- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?



# Pairing gaps: comparison



- Consistent suppression with respect to BCS; similar to Gorkov
- Disagreement with AFDMC studied extensively
- Emerging consensus?




## Unequal Populations

### Energy versus polarization




# Polarized neutron matter: energy




- Possibly relevant to magnetars and nuclear functionals
- Linear with respect to polarization:


$$P = \frac{N_\uparrow - N_\downarrow}{N_\uparrow + N_\downarrow}$$




# Polarized neutron matter: momentum distribution




- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”




# Polarized neutron matter: momentum distribution




- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”




# Polarized neutron matter: momentum distribution




- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”




# Polarized neutron matter: momentum distribution




- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”




# Polarized neutron matter: momentum distribution




- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”



# Polarized neutron matter: momentum distribution



- Spread around  $k_F$  noticeable
- Known as “Fermi surface mismatch”



# Conclusions

- Qualitative agreement on equation of state: benchmarking
- Emerging consensus (?) regarding the pairing gap
- Energy versus polarization is linear: benchmarking

# The Present Future

- Extreme polarizations: the polaron problem
- Highly asymmetric nuclear matter
- Static response of neutron matter

No Signal

VGA-1

No Signal

VGA-1

# The Present Future

- Extreme polarizations: the polaron problem
- Highly asymmetric nuclear matter
- Static response of neutron matter