

Title: Cosmic Flows: cosmology and astrophysics from galaxy velocities

Date: Nov 25, 2014 11:00 AM

URL: <http://pirsa.org/14110182>

Abstract: <p>Velocity fields are a powerful probe of structure formation and the energy content of our Universe. Additionally, the motion of ionized gas on intermediate scales can be used to measure the clustering of baryons and shed light on galaxy formation and feedback mechanisms. I will discuss techniques that can be used to both constrain cosmology and measure baryon properties. I will also present some preliminary results.</p>

What this talk is NOT about

- Primordial non-Gaussianity and Large Scale Structure
(arXiv: 1408.3126, 1209.2175, 1209.2173, 1110.1594, 1106.0503)
- Relative velocity between Dark Matter and baryons
(arxiv: 1110.2182)
- ISW (still open puzzles!) and relation to kSZ
(arXiv: 1401.1193 + SF & Spergel to appear)
- Clusters in modified gravity
(arXiv:1011.0992)
-


**I am at PI today and tomorrow morning (office 255)
if interested, come and talk to me!**

Contents

- Velocities in cosmology
- Probing the growth of structure
- The missing baryon problem
- Kinetic Sunyaev-Zel'dovich effect
- New techniques
- Preliminary results

Simone Ferraro (Princeton)

Cosmic velocities as a tool for...



Simone Ferraro (Princeton)

Cosmic velocities

- Peculiar velocity $\mathbf{v} = \frac{d\mathbf{x}}{d\eta} = \frac{d\mathbf{r}}{dt} - H(t)\mathbf{r}$

- Related to density (continuity eq):


$$\dot{\delta} + \nabla \cdot [(1 + \delta)\mathbf{v}] = 0$$

- In linear theory:

$$\mathbf{v} \approx \frac{i\mathbf{k}}{k^2} \dot{\delta} = aH f_g \frac{i\mathbf{k}}{k^2} \delta$$


Growth rate $f_g = \frac{d \ln \delta}{d \ln a} \approx [\Omega_m(z)]^\gamma$

$\gamma \approx 0.55$ in GR
Linder (2005)



Growth factor as a probe of GR

8



$$\mathbf{v} \approx aH f_g \frac{i\mathbf{k}}{k^2} \delta$$

$$f_g = \frac{d \ln \delta}{d \ln a}$$

Growth factor:

- sensitive probe of gravity
- Cosmological information


Guzzo et al (2005)

DGP: Lue et al (2004); DM+DE models: Di Porto et al (2007)

Simone Ferraro (Princeton)

Growth factor as a probe of GR

8



$$\mathbf{v} \approx aH f_g \frac{i\mathbf{k}}{k^2} \delta$$

$$f_g = \frac{d \ln \delta}{d \ln a}$$

Growth factor:

- sensitive probe of gravity
- Cosmological information


Guzzo et al (2005)

DGP: Lue et al (2004); DM+DE models: Di Porto et al (2007)

Simone Ferraro (Princeton)

Growth factor as a probe of GR

8



$$\mathbf{v} \approx aH f_g \frac{i\mathbf{k}}{k^2} \delta$$

$$f_g = \frac{d \ln \delta}{d \ln a}$$

Growth factor:

- sensitive probe of gravity
- Cosmological information

Guzzo et al (2005)



DGP: Lue et al (2004); DM+DE models: Di Porto et al (2007)

Simone Ferraro (Princeton)

The missing baryon 'problem'

9

- Baryon content measured ~13Gyr ago by BBN and CMB. Lyman- α forest probes baryons at $z > 2$.
- Today ~80-90% of the baryons are not seen within R_{VIR} .
- Thought to occupy the outskirts of galaxy and filaments in low-density Warm-Hot Intergalactic Medium (**WHIM**).
- $R_{\text{gas}} \geq 1 \text{ Mpc}$ ($4 \times R_{\text{VIR}}$)
- Important consequences for **galaxy formation**.





Simone Ferraro (Princeton)

Credit: Bregman (2012, top) - NASA (bottom)

The missing baryon 'problem'

9

- Baryon content measured ~13Gyr ago by BBN and CMB. Lyman- α forest probes baryons at $z > 2$.
- Today ~80-90% of the baryons are not seen within R_{VIR} .
- Thought to occupy the outskirts of galaxy and filaments in low-density Warm-Hot Intergalactic Medium (**WHIM**).
- $R_{\text{gas}} \geq 1 \text{ Mpc}$ ($4 \times R_{\text{VIR}}$)
- Important consequences for **galaxy formation**.




Simone Ferraro (Princeton)

Credit: Bregman (2012, top) - NASA (bottom)

Kinetic Sunyaev-Zel'dovich effect

10

Energy shift in CMB photons due to scattering with coherently moving electrons



$$\left(\frac{\Delta T}{T}\right)_{\text{kSZ}} = \int d\eta \dot{\tau} e^{-\tau} \mathbf{v} \cdot \hat{\mathbf{n}} \quad \text{Sunyaev, Zel'dovich (1970)}$$

$$\left(\frac{\Delta T}{T}\right)_{\text{kSZ}} \propto \int d\eta \boxed{(1 + \delta_b) \mathbf{v} \cdot \hat{\mathbf{n}}} \times f_{\text{ionized}}$$

Momentum
Ionized fraction


- Preserves Black Body spectrum of CMB
- For a large cluster $v \sim 10^{-3}$
 $\tau \sim 10^{-2}$ $\Delta T_{\text{kSZ}} \sim \tau v \sim 10 \mu\text{K}$
- Sensitive to all of the ionized gas. Can help find the 'missing baryons'

Simone Ferraro (Princeton)

The kSZ power spectrum

11

'Late' time ($z < 20$) contributions from velocity



Simone Ferraro (Princeton)

Ma, Fry (2002)
Hu, White (1996)

The first detection: galaxy pairs

12





Image by Sudeep Das

Simone Ferraro (Princeton)

$$p_{\text{pair}}(r) \equiv \langle (\mathbf{p}_i - \mathbf{p}_j) \cdot \hat{\mathbf{r}}_{ij} \rangle$$



We will focus here
(1 - 10 Mpc)

Hand + ACT collaboration (2012)

The first detection: galaxy pairs

12





Image by Sudeep Das

Simone Ferraro (Princeton)

$$p_{\text{pair}}(r) \equiv \langle (\mathbf{p}_i - \mathbf{p}_j) \cdot \hat{\mathbf{r}}_{ij} \rangle$$




We will focus here
(1 – 10 Mpc)

Hand + ACT collaboration (2012)

Detection from individual objects: MACS J0717.5+3745

14



Bolocam observations at
140 and 268 GHz

+ Hubble, Herschel, Chandra,
XMM

$$V_z = 3450 \pm 900 \text{ Km/s}$$

$$V_{\text{rms}} = 515 \text{ Km/s}$$

Tension with LCDM?

Sayers et al (2013)

Simone Ferraro (Princeton)

T² cross low-z tracers

13

- $\langle T \delta_{\text{tr}} \rangle \approx 0$ on small scales, but...

- Consider $\langle T_f^2(\mathbf{x}) \delta_{\text{tr}}(\mathbf{y}) \rangle$
 - Filtered temperature squared in real space
 - Matter tracer (galaxies, AGNs, lensing convergence...)

- Can work on small scales
- Doesn't need redshifts
- Sensitive to cosmology, especially σ_8 and w
- Sensitive to baryon distribution
- Needs good control over foregrounds

Doré et al (2003)
DeDeo et al (2005)
SF et al (to appear)

Simone Ferraro (Princeton)

T² cross low-z tracers

15

- Consider $\langle T_f^2(\mathbf{x}) \delta_{\text{tr}}(\mathbf{y}) \rangle$
 - Filtered temperature squared in real space
 - Matter tracer (galaxies, AGNs, lensing convergence...)

- If only kSZ: $\sim \langle \delta v \delta v \delta_g \rangle \rightarrow b\delta$ for galaxies

$$\sim \langle vv \rangle \langle \delta \delta \delta_g \rangle + \langle v\delta \rangle \langle v\delta \delta_g \rangle + \dots$$

Fourier Transform
Project along line of sight

$$C_\ell^{\text{kSZ}^2} \times \delta_g$$

Assumptions (for now):

- Linear bias
- NL bispectrum fit
- Linear theory for $\delta \rightarrow v$
- Planck parameters


Doré et al (2003)
DeDeo et al (2005)
SF et al (to appear)

T² cross low-z tracers

16

- Consider $\langle T_f^2(\mathbf{x}) \delta_{\text{tr}}(\mathbf{y}) \rangle$
 - Filtered temperature squared in real space
 - Matter tracer (galaxies, AGNs, lensing convergence...)

Detailed comparison with hydro simulations under way



Expect high S/N with high resolution experiments!

Simone Ferraro (Princeton)


Doré et al (2003)
DeDeo et al (2005)
SF et al (to appear)

T² cross low-z tracers

16

- Consider $\langle T_f^2(\mathbf{x}) \delta_{\text{tr}}(\mathbf{y}) \rangle$
 - Filtered temperature squared in real space
 - Matter tracer (galaxies, AGNs, lensing convergence...)

Detailed comparison with hydro simulations under way



Expect high S/N with high resolution experiments!

Doré et al (2003)
DeDeo et al (2005)
SF et al (to appear)

Simone Ferraro (Princeton)

PRELIMINARY RESULTS

with Colin Hill, Nick Battaglia, David Spergel, Jia Liu

What we need:

- High resolution (foreground cleaned) CMB map
- Filter to maximize the kSZ contribution
- Low-redshift tracers.


SF, et al. (to appear)
Hill, SF, et al. (to appear)

Simone Ferraro (Princeton)

Wiener Filter

$$F(\ell) \propto \frac{C_{\ell}^{\text{signal}}}{C_{\ell}^{\text{tot}}}$$


20



Simone Ferraro (Princeton)


The WISE survey

- Wide-field Infrared Survey Explorer (WISE)
- Mission 2009 → 2011 (and 2013 → present)
- Full sky
- 40cm mirror
- 4 IR bands: 3.4, 4.6, 12 and 22 μm (W1, W2, W3, W4)
- WISE source catalog: 5 x 10⁸ objects with S/N > 5 in at least one band




Population selection

- Color-color selection effective in distinguishing stars/galaxies/AGNs



Yan et al. (2012)


Simone Ferraro (Princeton)



Lake et al. (2011)


Population selection

- Color-color selection effective in distinguishing stars/galaxies/AGNs





Yan et al. (2012)

Simone Ferraro (Princeton)



Lake et al. (2011)

WISE Galaxies – bias and redshift distribution 24





This is an 'effective' bias = bias x (1 - contamination fraction)

Simone Ferraro (Princeton)

WISE Galaxies – bias and redshift distribution

24




Yan et al. (2012)

This is an 'effective' bias = bias x (1 - contamination fraction)

Simone Ferraro (Princeton)


Results – WISE galaxies

25




Results – WISE galaxies

26



Results – WISE galaxies



Simone Ferraro (Princeton)

Hill, SF et al (to appear)

Systematic Checks

27

Large number of systematic checks and null tests

Possible contaminants:

- Weak Lensing of the CMB
- Residual CIB or tSZ
- Galactic dust
- Variation in spectral index for CIB or radio emission (!)
- ...

Simone Ferraro (Princeton)

Systematic Checks

27

Large number of systematic checks and null tests


Possible contaminants:

- Weak Lensing of the CMB
- Residual CIB or tSZ
- Galactic dust
- Variation in spectral index for CIB or radio emission (!)
- ...

Simone Ferraro (Princeton)


CFHTLenS lensing convergence

- 3.6 meter optical/infrared telescope
- 154 sq deg (in 4 patches)
- broad redshift distribution
- Independent pipeline developed at Columbia University



Simone Ferraro (Princeton)

Liu et al (2014)



Van Waerbeke et al (2013)

Systematic Checks

27

Large number of systematic checks and null tests


Possible contaminants:

- Weak Lensing of the CMB
- Residual CIB or tSZ
- Galactic dust
- Variation in spectral index for CIB or radio emission (!)
- ...

Simone Ferraro (Princeton)


CFHTLenS lensing convergence

- 3.6 meter optical/infrared telescope
- 154 sq deg (in 4 patches)
- broad redshift distribution
- Independent pipeline developed at Columbia University



Simone Ferraro (Princeton)

Liu et al (2014)




Van Waerbeke et al (2013)

Results – CFHTLenS convergence

29

WMAP + Planck + CFHTLenS convergence

- • kSZ^2 (filt) x CFHTLS
- analytic theory



Simone Ferraro (precovery)

Hill, SF et al (to appear)

What's next?

30

- Better understanding of theory/sims on small scales
- Baryon content and distribution as a function of galaxy type and redshift
- Small scale experiments → push to $L \sim 10000$. Can extract the signal in real space $S/N \sim 0.5$ per cluster for $M \sim 10^{14} M_{\text{sun}}$
- kSZ maps. Cosmological applications
- Constraints on **reionization**



Simone Ferraro (Princeton)



What's next?

30

- Better understanding of theory/sims on small scales
- Baryon content and distribution as a function of galaxy type and redshift
- Small scale experiments → push to $L \sim 10000$. Can extract the signal in real space $S/N \sim 0.5$ per cluster for $M \sim 10^{14} M_{\text{sun}}$
- kSZ maps. Cosmological applications
- Constraints on **reionization**




Simone Ferraro (Princeton)



Temperature Wiener Filter

19



Simone Ferraro (Princeton)

Ma, Fry (2002)
Hu, White (1996)

Conclusions

31

- Kinetic Sunyaev-Zel'dovich effect measures the abundance and distribution of free electrons.
- Baryons trace the Dark Matter down to ~ 2 Mpc and abundance consistent with BBN + CMB
- Independent probe of growth of perturbation/initial conditions
- Probe of **reionization**
- This is just the beginning. Great improvement over the next few years!
- **A lot of work in progress**

Thank you!

Simone Ferraro (Princeton)