Title: Clocks and precision measurements with ultracold molecules

Speakers: Tanya Zelevinsky

Series: Colloquium

Date: March 13, 2024 - 2:00 PM

URL: https://pirsa.org/24030111

Abstract: Significant advancements in our understanding of the physical world have been driven by increasingly precise atomic spectroscopy. The level of accessible precision entered a new realm with the advent of laser cooling and trapping. Now we can extend the ultrahigh spectroscopic precision, or atomic clock technology, to more complex quantum particles like diatomic molecules. The ability to quantify molecular degrees of freedom, such as nuclear vibrations, with nearly atomic-clock precision illuminates their previously hidden properties. Moreover, it suggests possibilities to leverage this precision for probing fundamental aspects of physical interactions, including enhanced tests of Newtonian gravity at the nanometer scale.

Zoom link


Clocks and Precision Measurements with Ultracold Molecules
Tanya Zelevinsky
Columbia University, New York
Clocks and Precision Measurements with Ultracold Molecules

Pupin Labs @ Columbia

Atomic clocks



A. Derevianko *et al.*, *QST* **7**, 044002 (2022)

F. Riehle, *Ph*



Atomic clocks



A. Derevianko *et al.*, *QST* **7**, 044002 (2022)

F. Riehle, *Phy*



Molecular clocks



Molecular vibrational lattice clock

A. Derevianko *et al.*, *QST* **7**, 044002 (2022)

F. Riehle, *Phy*




Metrology with molecules
Atomic hyperfine
Radio Frequency
Atomic optical
Radio
Microwave
Infrared
Visible
Ultraviolet
X-Ray
Gamma-Ray
Wavelength
10^8 m
1 m
10 mm
1 mm
0.1 mm
700 nm
390 nm
10 nm
0.01 nm
Radiation Type
Frequency
3 Hz
300 MHz
30 GHz
300 GHz
3 THz
430 THz
730 THz
30 PHz
Mega: 10^6
Giga: 10^9
Tera: 10^12
Peta: 10^15
Molecular ro-vibrational
nanowerk.com
F. Riehle, Phy
Metrology with molecules

Metrology with molecules: Why ultracold?



D. S. Jin and J. Ye, *Phys. Toda*

Science with molecular clocks

Newtonian gravity at large scales: Well-understood



Gravity at nanometer scales: Nearly unknown





Science with molecular clocks

Nanoscale mass-dependent forces





$$V = -\frac{GM^2}{R}\left(1 - \underbrace{Ae^{-R/\lambda}}\right)$$

Hypothetical
"Yukawa" correction



Science with molecular clocks

Nanoscale mass-dependent forces





$$V = -\frac{GM^2}{R}\left(1 - \underbrace{Ae^{-R/\lambda}}\right)$$

Hypothetical
"Yukawa" correction

Explore a range



Science with molecular clocks

Nanoscale mass-dependent forces



$$V = -\frac{GM^2}{R}\left(1 - \underbrace{Ae^{-R/\lambda}}\right)$$

Hypothetical
"Yukawa" correction

Isotopes of
strontium (Sr) atom



Explore a range o

"5th force" with molecular clock

New approach: Vibrational isotope shifts in nonpolar diatomic molecules



E. Tiberi, *Ph.D. thesis* (2023)
B. Heacock *et al.*, *Science* **373**, 1239 (2021)

E. J. Salumbides *et al.*, *PRD*
M. Borkowski *et al.*, *Sci. Rep*



Molecular clocks, QED, and 5th force

Born-Oppenheimer approximation

$$E_{\text{tot}} \approx E_{\text{el}} + E_{\text{vib}} + \cancel{E_{\text{rot}}}$$

Beyond B-O

adiabatic	$\mu = \frac{m_e}{Am_p}$
nonadiabatic	μ^2
relativistic, QED	$\alpha^2\mu, \alpha^3\mu$
finite-nuclear-size	$(r_c/a_0)^2$



Aleksander Wozniak

Molecular clocks, QED, and 5th force

Born-Oppenheimer approximation

$$E_{\text{tot}} \approx E_{\text{el}} + E_{\text{vib}} + \cancel{E_{\text{rot}}}$$

Beyond B-O

adiabatic	$\mu = \frac{m_e}{Am_p}$
nonadiabatic	μ^2
relativistic, QED	$\alpha^2\mu, \alpha^3\mu$
finite-nuclear-size	$(r_c/a_0)^2$



Aleksander Wozniak

- *Ab initio* quantum chemistry: <10^{-13} too challenging for heavy
- Remove BO terms via isotope sh only ~10^{-6} needed for mass-depe

J. J. Lutz and J. M. Hutson, J

Yukawa shift

Quantum states *v* probe a range of internuclear distances



Convert $\langle V_{\mathrm{Yukawa}}(R)\rangle$ to $\langle V_{\mathrm{Yukawa}}(v)\rangle$



Molecular isotope shift

Assume current limit, $A \lesssim 10^{21}$ at 1 nm





Isotope shifts as test of fundamental interactions

Isotope shifts in atoms (e.g. Yb/Yb$^+$) can point to new physics

- Isotope shift = "Mass shift" + "Field shift"(depends on $\Delta(r_c^2)$)
- With enough isotopes, can remove $\Delta(r_c^2)$
- Then plot of (Shifts 1) vs. (Shifts 2) is linear

- Any nonlinearities result from unknown atomic/nuclear physics or new electron-neutron interactions

I. Counts *et al.*, *PRL* **125**, 123002 (2020), etc.

- Molecular isotope shifts: New way to test QED and search fo sensitive to interaction between massive nuclei
- King-plot-like analysis methods need to be worked out

Which molecule?

- Ultracold molecule: Higher precision
- Spin-0 ground state: More tractable theory
- Large range of stable isotopes: Higher sensitivity
- Fewer electrons: More accurate theory



Which molecule?

- Ultracold molecule: Higher precision
- Spin-0 ground state: More tractable theory
- Large range of stable isotopes: Higher sensitivity
- Fewer electrons: More accurate theory



Sr_2 ✓

Ca_2

Many isotopes ☺
Many electrons ☹

Molecular clocks, QED, and 5th force

Born-Oppenheimer approximation

$$E_{\mathrm{tot}} \approx E_{\mathrm{el}} + E_{\mathrm{vib}} + \cancel{E_{\mathrm{rot}}}$$

Beyond B-O

adiabatic	$\mu = \frac{m_e}{Am_p}$
nonadiabatic	μ^2
relativistic, QED	$\alpha^2\mu, \alpha^3\mu$
finite-nuclear-size	$(r_c/a_0)^2$



Aleksander Wozniak

- *Ab initio* quantum chemistry: <10^{-13} too challenging for heavy molecule
- Remove BO terms via isotope shifts: only ~10^{-6} needed for mass-dependent terms

J. J. Lutz and J. M. Hutson, *JMS* **330**, 43 (2016)

Producing ultracold molecules



Producing ultracold molecules



1D optical lattice



- 1st stage cooling
- 2nd stage cooli
- Photoassociatio

Producing ultracold molecules



- 1st stage cooling (~mK)
- 2nd stage cooling (~μK)
- Photoassociation / state prep
- Spectroscopy of excited states
- Recovery via photodissociation

Credit: M. McDonald

Ultracold photodissociation



Credit: M. McDonald

Ultracold photodissociation







$$P(\theta,\Phi) = |\sqrt{R}\cdot Y_4^1(\theta,\Phi)+\sqrt{1-R}\cdot e^{i\delta}\, Y_4^3(\theta,\Phi)|^2$$

Credit: M. McDonald

Molecular lattice clock

Challenge: Long-term coherence between molecular states



N. Poli, *Nature Phys.* **15**, 1106 (2019)

“Magic” lattice trap



S. S. Kondov *et al.*, *Nature Phys.* **15**, 1118 (2019)

Enhanced coherence in magic lattice



Energy of $|2\rangle$

Clock resonance linewidth

S. S. Kondov *et al.*, *Nature Phys.* **15**, 1118 (2019)

Enhanced coherence in magic lattice



Energy of $|2\rangle$

Clock resonance linewidth

S. S. Kondov *et al.*, *Nature Phys.* **15**, 1118 (2019)

Narrow vibrational clock resonance

Coherence $10^4\times$



K. H. Leung *et al.*, *Phys. Rev. X* 13, 011047 (2023)

$Q = 3\times10^{12}$

$Q\ (intrinsic) > 10^{26}$

Rabi oscillations

Tightly-to-weakly-bound molecules





K. H. Leung *et al.*, *PRL* **125**, 153001 (2020)

Clock precision

Systematic effects:
What can cause the clock frequency to shift?

- Lattice laser light

- Probe laser light

- Blackbody radiation



- Collisions

- Magnetic fields

- Doppler shifts



Lattice light shift: Zoom in



K. H. Leung *et al.*, *Phys. Rev. X 13*, 011047 (2023)

Observe vibrational hyperpolarizability



operationally non-magic lattice…



K. H. Leung *et al.*, *Phys. Rev. X 13*, 011047 (2023)

Effectively magic lattice



operationally magic lattice



~4×10^{-14} uncertainty, dominant contributor

K. H. Leung *et al.*, *Phys. Rev. X 13*, 011047 (2023)

Clock precision

Systematic effects:
What can cause the clock frequency to shift?

- Blackbody radiation



Far-infrared polarizabilities

Response of vibrating molecule to BBR



Clock precision

Systematic effects:
What can cause the clock frequency to shift?

- Lattice laser light

- Probe laser light

- Blackbody radiation



- Collisions

- Magnetic fields

- Doppler shifts



Absolute clock measurement

Comparison to Cs atomic time standard







1×10^{-13} uncertainty

K. H. Leung *et al.*, *Phys. Rev. X* 13, 011047 (2023)

Atomic and molecular frequency standards

Primary and secondary



F. Riehle *et al.*, *Metrologia* **55**, 188 (2018)

Optical molecular clocks



B. McGuyer *et al.*, *Nature Phys.* **11**, 32 (2015)

Other projects with cold molecules

Ultracold chemistry and quantum photodissociation



Laser cooling of new bosonic and fermionic molecules (CaH, CaD)



CeNTREX: Proton EDM & fundamental symmetries